Distributional Vector Autoregression: Eliciting Macro and Financial Dependence*

Yunyun Wang[†]

Tatsushi Oka[‡]

Dan Zhu[§]

February 1, 2023

Abstract

Vector autoregression is an essential tool in empirical macroeconomics and finance for understanding the dynamic interdependencies among multivariate time series. In this study, we expand the scope of vector autoregression by incorporating a multivariate distributional regression framework and introducing a distributional impulse response function, providing a comprehensive view of dynamic heterogeneity. We propose a straightforward yet flexible estimation method and establish its asymptotic properties under weak dependence assumptions. Our empirical analysis examines the conditional joint distribution of GDP growth and financial conditions in the United States, with a focus on the global financial crisis. Our results show that tight financial conditions lead to a multimodal conditional joint distribution of GDP growth and financial conditions, and easing financial conditions significantly impacts long-term GDP growth, while improving the GDP growth during the global financial crisis has limited effect on financial conditions.

Keywords: Vector Autoregression, Impulse Response Function, Multivariate Time Series, Distributional Regression

JEL Codes: C14, C32, C53, E17, E44

^{*}We are grateful to Catherine Forbes, Jiti Gao, Kostas Kardaras, Seojeong Lee, Myung Hwan Seo, Qiwei Yao, and the other participants who attended the seminars held at the London School of Economics, Queen Mary University of London, Seoul National University, University of New South Wales, the University of Queensland, as well as the Time Series and Forecasting Symposium (TSF2022), for their valuable comments and suggestions.

[†]Department of Econometrics and Business Statistics, Monash University (yunyun.wang@monash.edu)

[‡]AI Lab, CyberAgent (oka_tatsushi@cyberagent.co.jp)

[§]Department of Econometrics and Business Statistics, Monash University (dan.zhu@monash.edu)

1 Introduction

Since the seminal work of Sims (1980), vector autoregression (VAR) has emerged as an essential tool in empirical macroeconomics and finance to facilitate the basic quantitative description, forecasting, and structural analysis of multivariate time series (see Litterman, 1986; Stock and Watson, 2001). The standard VAR is built upon the mean regression for multivariate systems, often with multivariate Gaussian errors. It enables insightful structural analysis, most notably through impulse response functions (IRFs). However, sharp macroeconomic downturns triggered by the recent financial crisis and the pandemic have led to increasing interest in exploring the distributional features of multivariate time series. This line of research moves beyond the traditional focus on mean estimation and studies the the distributional effect of a shock, such as the growth-at-risk of economic activity.

This study proposes a semiparametric distributional VAR model that serves as a flexible alternative for analyzing the distributional properties of multivariate time series. We introduce an estimation method that combines the distribution factorization and the distributional regression (DR) approach. Unlike traditional parametric models, our approach does not impose a global parametric assumption on either the marginal or joint distributions of the variables, conditional on their past values. The framework employs regression models that can incorporate a moderately large number of conditional variables, capturing the influence of past events on the entire response distribution. Additionally, we introduce a distributional counterpart to the commonly used IRFs to examine how the conditional distributions evolve after a perturbation in the distribution of a variable in the system at a specific point in time. This enables us to identify the heterogeneity and nonlinearity in the response dynamics.

Our work builds on and contributes to several strands of literature. Firstly, the fundamental basis of our estimation method is DR, which is a semiparametric method for marginal conditional distributions. Williams and Grizzle (1972) first introduced DR to analyze ordered categorical outcomes using multiple binary regressions. It was later extended by Foresi and Peracchi (1995) to characterize any conditional distribution, and a local version was proposed by Hall et al. (1999). Chernozhukov et al. (2013) established the uniform

validity of the inference for the entire conditional distribution. The DR approach has also been explored by Rothe and Wied (2013) and Chernozhukov et al. (2020), among others. More recently, the DR method has been extended to the conditional multivariate distributions of independent cross-sectional data. Meier (2020) considered the direct application of the DR method to estimate the joint conditional distribution, while Wang et al. (2022) proposed a method based on the DR and distribution factorization, which addressed a possible computational issue arising from the direct DR application. Our study further extends the scope of the DR approach to analyze the multivariate time-series data and their dynamic interdependencies. We also provide asymptotic properties of the proposed estimator under the β -mixing condition.

Our paper also contributes to the literature on the structural vector autoregression (SVAR) model. Structural interpretations of VAR models require additional identifying assumptions based on institutional knowledge, economic theory, or other external constraints on the model responses (Blanchard and Quah, 1989; Rubio-Ramirez et al., 2010; Kilian and Lütkepohl, 2017). A commonly used identification scheme in the VAR literature is to assume a lower triangular form for the contemporaneous variance matrix of the endogenous variables (Sims, 1980; Primiceri, 2005). Our study emlopyes a similar structural identification scheme based on a triangular assumption. When estimating the multiperiod conditional forecasting distributions for impulse responses analysis, we adopt the concepts of local projection (Jordà, 2005) and direct multistep forecasting (McCracken and McGillicuddy, 2019). This approach allows us to estimate a distinct multivariate distribution at each forecast horizon, rather than using an iterative forecast. Recent research by Plagborg-Møller and Wolf (2021) has shown that the local projection and VAR models are conceptually equivalent in estimating the impulse response functions.

This paper also contributes to the growing literature on extending the quantile regression framework to VAR models, building on previous works by Koenker and Bassett (1978) and Koenker and Xiao (2004, 2006). More specifically, White et al. (2015) developed a multivariate autoregression model of the quantiles to directly study the degree of tail interdependence among multivariate time series. Montes-Rojas (2019) suggested a reduced form quantile

VAR model based on the directional quantiles framework and estimated a quantile impulse response function (QIRF) to explore the dynamic effects for a fixed collection of quantile indices. Chavleishvili and Manganelli (2019) proposed a quantile SVAR model and analyzed QIRFs based on fixed sample paths. Our proposed approach differs from existing Quantile VAR models in that we target the joint conditional distribution, while Quantile VAR is modeled by a system of quantile-regression equations, similar to mean VAR models. In some applications, our approach provides a straightforward way to analyze joint distributional features and dynamic propagation of shocks on the entire joint distribution conditional on past events. However, it should be noted that the conditional quantile and distribution of a continuous random variable are equivalent up to an inverse transformation. Therefore, both quantile and distributional VAR can extract similar information from multivariate time series and can be used depending on the research goal.

This paper applies the proposed framework to analyze the joint distribution of the real GDP growth rate and the national financial condition index (NFCI) of the United States (U.S.), conditional upon past lagged variables. Insightful work by Adrian et al. (2021) previously studied the same dataset, using a nonparametric kernel framework to estimate the joint conditional distribution and a density IRF. The key findings from this work suggest that the joint distribution is unimodal during normal times but exhibits clear multimodality during the Great Recession. Adrian et al. (2019) studied the distribution of GDP growth given the past financial and economic conditions using quantile regressions, suggesting that the distribution exhibits much more variation over time in the median and lower tail compared to the upper tail. Our approach complements theirs by allowing for more lagged variables as conditional regressors, which is not possible in nonparametric approaches due to the curse of dimensionality. Our empirical results confirm their key findings even after conditioning more lagged variables. We also find multimodality only appears in short-term forecasts and resolves within a few quarters with relatively mild tightness.

We further investigate the DIRFs for the possible policy effect on the moments, quantiles, and entire distributions of all variables during the Great Recession. Our findings indicate that if the policies implemented in 2008:Q3 had been successful in preventing financial tightening

in 2008:Q4, the likelihood of adverse real GDP growth and tight NFCI would have been improved in 2009:Q1-Q2 and reduced in 2009:Q3-Q4, which is consistent with the findings of Adrian et al. (2021). Additional evidence from the mixed-frequency model suggests that an impulse on the NFCI has a long-term effect on the NFCI and real GDP growth. However, our analysis of a distributional impulse on the real GDP growth suggests a different result that limiting the likelihood of negative real GDP growth in 2008:Q4 only increases the likelihood of positive economic activity in the short run but has almost no effect on the NFCI even in the subsequent quarter.

The remainder of this paper is organized as follows. Section 2 introduces the proposed multivariate model and DIRF. Section 3 explains the estimation procedures and presents the estimators' asymptotic results. In Section 4, we apply our approach to study the U.S. time series data on macroeconomic and financial conditions. Section 5 concludes the paper. The proofs of the theoritical results and additional empirical analysis are provided in Appendix.

2 Multivariate Distributional Regression

We introduce a semiparametric regression approach for conditional multivariate distributions and explain the DIRF, which describes the dynamic effect of a shock on the entire distribution of multivariate time series.

In what follows, \mathbb{R} denotes the the set of real numbers, and $\mathbb{I}\{\cdot\}$ denotes the indicator function taking the value 1 if the condition inside $\{\cdot\}$ is satisfied and 0 otherwise. We use $\ell^{\infty}(D)$ to refer to the collection of all real-valued bounded functions defined on an arbitrary set D. We denote by $\|\cdot\|$ the Euclidean norm for vectors and use a^{\top} to represent the transpose of a vector a.

2.1 Model

Suppose that we observe a stationary time series $\{(Y_t, Z_t)\}_{t=1}^T$ with a sample size of T, where $Y_t = (Y_{1t}, \dots, Y_{Jt})^{\top}$ is a J-dimensional outcome variables and Z_t is a $k \times 1$ vector of conditioning variables. We denote supports $\mathcal{Y} := \times_{j=1}^J \mathcal{Y}_j \subset \mathbb{R}^J$ and $\mathcal{Z} \subset \mathbb{R}^k$ for Y_t and

 Z_t , respectively, where \mathcal{Y}_j denotes the support of Y_{jt} . Given the multivariate time series, the objective is to estimate the conditional joint distribution $F_{Y_t|Z_t}(y|z)$ of Y_t given $Z_t = z$, for $(y, z) \in \mathcal{Y} \times \mathcal{Z}$. This study mainly focuses on the VAR setup wherein Z_t comprises only lagged dependent variables, while our framework can also be applied to other cases, such as VAR models with proxy or instrumental variables (Bloom, 2009; Jurado et al., 2015).

We propose a semiparametric estimation method for joint conditional distributions. We first apply distribution factorization, which expresses the joint conditional distribution using a collection of marginal conditional distributions through a hierarchical structure, and then estimate conditional marginal distributions. Specifically, we define

$$X_{1t} := (1, Z_t^{\mathsf{T}})^{\mathsf{T}} \text{ and } X_{jt} := (1, Z_t^{\mathsf{T}}, Y_{1t}, \dots, Y_{j-1,t})^{\mathsf{T}} \text{ for } j = 2, \dots, J,$$

with supports $\mathcal{X}_j \subset \mathbb{R}^{k+j}$ for $j = 1, \ldots, J$. Let $F_{Y_{jt}|X_{jt}}$ be the marginal conditional distribution of Y_{jt} given X_{jt} . Subsequently, the distribution factorization yields the existence of a transformation $\rho: \times_{j=1}^J \ell^{\infty}(\mathcal{Y}_j \times \mathcal{X}_j) \to \ell^{\infty}(\mathcal{Y} \times \mathcal{Z})$, given by

$$F_{Y_t|Z_t} = \rho(F_{Y_{1t}|X_{1t}}, \dots, F_{Y_{Jt}|X_{Jt}}). \tag{1}$$

This expression is useful because a multivariate joint distribution can be obtained by separately modeling these J marginal conditional distributions. There are many different transformations for the distribution factorization, each of which is mathematically valid and relevant depending on its empirical applications. This is because the transformation $\rho(\cdot)$ in (1) depends on the ordering of Y_t coordinates. Selecting a different permutation-based ordering yields an alternative transformation. We shall discuss this ordering issue later in Section 2.2 for the purpose of structural analysis.

In the following example, we illustrate the transformation in the bivariate outcome case.

Example 1. Let $Y_t = (Y_{1t}, Y_{2t})^{\top}$ and the predetermined variables be up to two lags or $Z_t = (Y_{t-1}^{\top}, Y_{t-2}^{\top})^{\top}$. The conditional joint distribution of Y_t given Z_t is then characterized via

the following distribution factorization:

$$F_{Y_t|Z_t} = \int F_{Y_{2t}|X_{2t}} dF_{Y_{1t}|X_{1t}},$$

where $F_{Y_{1t}|X_{1t}}$ and $F_{Y_{2t}|X_{2t}}$ are conditional marginal distributions with $X_{1t} = (1, Z_t^\top)^\top$ and $X_{2t} = (1, Z_t^\top, Y_{1t})^\top$.

When studying an univariate conditional distribution, a common method is to assume an appropriate parametric distribution based on sample information, often with the conditioning variables affecting only its location or scale parameters. However, when observations exhibit complex statistical features, such as long-tails and extreme skewness, selecting an appropriate parametric model becomes challenging. In this study, we apply the DR method, which does not impose restrictive global parametric assumptions.

The DR approach characterizes the entire conditional distribution of an outcome variable, conditional upon a vector of covariates, by fitting a collection of parametric linear-index models over the outcome locations. Specifically, for the estimation of the j-th conditional distribution $F_{Y_{jt}|X_{jt}}$, we consider, for any $(y_j, x_j) \in \mathcal{Y}_j \times \mathcal{X}_j$,

$$F_{Y_{jt}|X_{jt}}(y_j|x_j) = \Lambda(\phi_j(x_j)^\top \theta_j(y_j)), \qquad (2)$$

where $\Lambda : \mathbb{R} \to [0, 1]$ is a known link function such as a logistic or probit function¹, $\phi_j : \mathcal{X}_j \to \mathbb{R}^{d_j}$ is a transformation and $\theta_j(y_j)$ is a $d_j \times 1$ vector of unknown parameters specific to the location y_j . The entire conditional distribution of Y_{jt} is characterised by considering different locations over the support \mathcal{Y}_j , and the set of marginal conditional distributions results in a joint conditional distribution by the transformation in (1). The proposed model is sufficiently flexible in its ability to incorporate covariates and set regression coefficients for each outcome location.

¹In practice, for each Y_{jt} , one can choose different link functions, while we use the same notation for simplification. For sufficiently rich transformation of the covariates, one can approximate the conditional distribution function arbitrarily well without extra concern about the choice of the link function.

2.2 Distributional Impulse Response Function

IRFs are standard structural analysis tools that characterize the dynamic propagation of contemporaneous shocks on multivariate time series in empirical macroeconomics and finance. Sims (1980) originally proposed IRFs using the moving average representation of VAR, whereas Jordà (2005) introduced the local projection approach, which evaluates the dynamic effects of shocks under the multistep ahead forecast framework. Plagborg-Møller and Wolf (2021) recently proved that the local projections and VARs estimate the same impulse responses in population. Unlike the VAR literature, which has traditionally considered mean IFRs, the recent literature explores the dynamic effect of a shock on the entire distribution using QIRFs (Montes-Rojas, 2019; Chavleishvili and Manganelli, 2019) and density IRF (Adrian et al., 2021).

We consider a local projection approach by integrating the conditional distribution of observable variables with respect to a counterfactual distribution to develop the DIRFs. The proposed approach can be viewed as a dynamic extension of Chernozhukov et al. (2013), who considered the counterfactual unconditional distributions for program evaluation with cross-sectional observations. Given a non-negative integer h, the baseline joint distribution $F_{Y_{t+h}|Z_t}$ of h-ahead outcomes Y_{t+h} conditional on Z_t is written as

$$F_{Y_{t+h}|Z_t} = \int F_{Y_{t+h}|Y_t,Z_t} dF_{Y_t|Z_t},$$

where $F_{Y_t|Z_t}$ and $F_{Y_{t+h}|Y_t,Z_t}$ are two different conditional distributions of the observed variables that are identified from the data and characterized in a manner similar to the proposed semiparametric approach. When estimating $F_{Y_{t+h}|Y_t,Z_t}$, the concept of local projection is adopted, that is, we estimate different models for different horizons h by regressing Y_{t+h} on (Y_t, Z_t) with the DR approach.

We consider a scenario where an alternative conditional distribution, $G_{Y_t|Z_t}$, is used instead of the actual distribution $F_{Y_t|Z_t}$. Throughout the paper, we assume that the counterfactual distribution $G_{Y_t|Z_t}$ is supported by a subset of \mathcal{Y}_t for identification purposes. Under the scenario with the distribution $G_{Y_t|Z_t}$, the counterfactual conditional joint distribution is

defined as

$$F_{Y_{t+h}|Z_t}^* := \int F_{Y_{t+h}|Y_t,Z_t} dG_{Y_t|Z_t}.$$

In addition, the baseline and counterfactual marginal distributions of the j-th variable $Y_{j,t+h}$ can be defined in the similar way with

$$F_{Y_{j,t+h}|Z_t} = \int F_{Y_{j,t+h}|Y_t,Z_t} dF_{Y_t|Z_t} \quad \text{and} \quad F_{Y_{j,t+h}|Z_t}^* := \int F_{Y_{j,t+h}|Y_t,Z_t} dG_{Y_t|Z_t}, \tag{3}$$

where the conditional distribution $F_{Y_{j,t+h}|Y_t,Z_t}$ can be modeled using the univariate DR approach by regressing $Y_{j,t+h}$ on (Y_t,Z_t) .

We consider a distributional change of only one element of Y_t , which benefits the analysis and interpretation in empirical applications, to set up the counterfactual joint distribution $G_{Y_t|Z_t}$. For instance, we replace the actual *i*-th marginal distribution $F_{Y_{it}|X_{it}}$ with a counterfactual marginal distribution $G_{Y_{it}|X_{it}}$; thus, the counterfactual joint distribution is given by $G_{Y_t|Z_t} = \rho(F_{Y_{1t}|X_{1t}}, \ldots, G_{Y_{it}|X_{it}}, \ldots, F_{Y_{Jt}|X_{Jt}})$ under (1). When applying the proposed semi-parametric approach to characterize $G_{Y_t|Z_t}$, the ordering of the observables is required for distribution factorization to identify the shock. Under the SVAR setting, one standard identification scheme is the recursive short-run restriction, which assumes a lower triangular form for the contemporaneous covariance matrix of the endogenous variables (Sims, 1980). Our triangular assumption is similar to that of the structural identification scheme. Other identification strategies in the SVAR literature include the long-run restriction (Blanchard and Quah, 1989), sign restriction (Antolín-Díaz and Rubio-Ramírez, 2018), and identification using instrumental variables (Jurado et al., 2015).

We formally define the DIRF as follows.

Definition 1. The distributional impulse response function that describles the effect of the shock on the joint distribution of Y_t after h periods is defined as,

$$DIR_h := F_{Y_{t+h}|Z_t}^* - F_{Y_{t+h}|Z_t}. (4)$$

The distribution impulse response function of the j-th variable after h periods is defined as

$$DIR_{j,h} := F_{Y_{j,t+h}|Z_t}^* - F_{Y_{j,t+h}|Z_t}.$$
(5)

The proposed framework is general in several ways. First, standard impulse response analysis is often conducted by evaluating the effects of a one-unit change on h-ahead outcomes. This is a special case of the counterfactual scenarios in which the counterfactual joint distribution $G_{Y_t|Z_t}$ can take a degenerate distribution or a point mass at one value for a variable of interest. Next, when estimating the DIRF, the identification restriction is only required for constructing the counterfactual distribution $G_{Y_t|Z_t}$ in order to identify the shock, but it is unnecessary for $F_{Y_{t+h}|Y_t,Z_t}$. Finally, given distributional information, other statistics of interest, such as the mean, standard deviation, quantiles, can be easily obtained. Therefore, the proposed DIRF is sufficiently flexible for researchers to investigate other impulse response functions generally considered in the literature. Specifically, the mean IRF for the j-th variable is given by

$$MIRF_{j,h} := \int y_{j,t+h} dF_{Y_{j,t+h}|Z_t}^*(y_{j,t+h}) - \int y_{j,t+h} dF_{Y_{j,t+h}|Z_t}(y_{j,t+h}),$$

and the τ -th quantile IRF of the j-th element for $\tau \in (0,1)$ is given by

$$QIRF_{j,h}(\tau) := F_{Y_{i,t+h}|Z_t}^{*-1}(\tau) - F_{Y_{i,t+h}|Z_t}^{-1}(\tau),$$

where $F_{Y_{j,t+h}|Z_t}^{*-1}(\cdot)$ and $F_{Y_{j,t+h}|Z_t}^{-1}(\cdot)$ are the quantile functions as inverse of the j-th variable's distribution functions $F_{Y_{j,t+h}|Z_t}^*(\cdot)$ and $F_{Y_{j,t+h}|Z_t}(\cdot)$, respectively.

Example 1 (continued). We illustrate how the proposed framework works in the bivariate case. First, the joint baseline distribution $F_{Y_{t+h}|Z_t}$ is written as

$$F_{Y_{t+h}|Z_t}(y_{t+h}|z_t) = \int F_{Y_{t+h}|Y_t,Z_t}(y_{t+h}|y_t,z_t) dF_{Y_t|Z_t}(y_t|z_t),$$

Letting $G_{Y_{2t}|X_{2t}}$ be a counterfactual marginal distribution for Y_{2t} given X_{2t} , we obtain the counterfactual joint distribution at time t:

$$G_{Y_t|Z_t} = \int F_{Y_{1t}|X_{1t}} dG_{Y_{2t}|X_{2t}}.$$

Then, the joint counterfactual distribution after h periods is given by

$$F_{Y_{t+h}|Z_t}^*(y_{t+h}|z_t) = \int F_{Y_{t+h}|Y_t,Z_t}(y_{t+h}|y_t,z_t) dG_{Y_t|Z_t}(y_t|z_t).$$

The difference between $F_{Y_{t+h}|Z_t^*}$ and $F_{Y_{t+h}|Z_t}$ leads to DIR_h in (4). As a special case, we can set the counterfactual marginal distribution to be a degenerate distribution with $\Pr(Y_{2t} = y_{2t}^*|X_{2t}) = 1$. In this case, the counterfactual distribution can be reduced to $\int F_{Y_{t+h}|Y_{1t},Y_{2t},Z_t}(y_{t+h}|y_{1t},y_{2t}^*,z_t)dF_{Y_{1t}|X_{1t}}(y_{1t}|x_{1t})$.

3 Estimation and Asymptotic Properties

We introduce the estimation procedures of the conditional distribution and the DIRF and then provide the asymptotic properties for the estimators of conditional distribution functions and their transformations.

3.1 Estimation

For estimating the multivariate joint distributions, the primary step is to estimate a collection of univariate conditional distributions using the DR approach. In this study, we estimate Model (2) using a binary choice model for the binary outcome $\mathbb{1}\{Y_{jt} \leq y_j\}$ with $y_j \in \mathcal{Y}_j$ under the maximum likelihood framework for each $j \in \{1, ..., J\}$. The estimators of the unknown parameters are defined as the maximizer of a log-likelihood function as follows:

$$\widehat{\theta}_j(y_j) = \arg\max_{\theta_j \in \Theta_j} \widehat{\ell}_{y,j}(\theta_j), \tag{6}$$

where $\Theta_j \subset \mathbb{R}^{d_j}$ is the parameter space and the log likelihood is given by

$$\widehat{\ell}_{y,j}(\theta_j) := \frac{1}{T} \sum_{t=1}^{T} \left[1 \{ Y_{jt} \le y_j \} \ln \Lambda \left(\phi_j(X_{jt})^\top \theta_j \right) + 1 \{ Y_{jt} > y_j \} \ln \left(1 - \Lambda \left(\phi_j(X_{jt})^\top \theta_j \right) \right) \right].$$

The conditional distribution estimator of Y_{jt} given $X_{jt} = x_j$ is given by

$$\widehat{F}_{Y_{jt}|X_{jt}}(y_j|x_j) := \Lambda(\phi_j(x_j)^{\top}\widehat{\theta}_j(y_j)). \tag{7}$$

In practice, a sufficient number of discrete points of the support \mathcal{Y}_j can be selected to obtain the estimator $\widehat{F}_{Y_{jt}|X_{jt}}(y_j|x_j)$. One important property is that the map $y_j \mapsto F_{Y_{jt}|X_{jt}}(y_j|x_j)$ is non-decreasing by definition. However, the estimated distribution function $\widehat{F}_{Y_{jt}|X_{jt}}(\cdot|x_j)$ does not necessarily satisfy monotonicity in finite samples. We monotonize the conditional distribution estimators at different locations using the rearrangement method proposed by Chernozhukov et al. (2009). This procedure can yield finite-sample improvement (for instance, see Chetverikov et al., 2018) and permit a straightforward application of the functional delta method when transforming the estimated distributions using Hadamard differentiable maps.

Given the estimators of marginal conditional distributions and the transformation in (1), the conditional joint distribution can then be estimated as

$$\widehat{F}_{Y_t|Z_t} = \rho(\widehat{F}_{Y_{1t}|X_{1t}}, \widehat{F}_{Y_{2t}|X_{2t}}, \dots \widehat{F}_{Y_{It}|X_{It}}). \tag{8}$$

For different horizons h, we estimate the conditional joint distribution $F_{Y_{t+h}|Y_t,Z_t}$ in the similar way and denote the estimator by $\widehat{F}_{Y_{t+h}|Y_t,Z_t}$. If we consider a marginal counterfactual distribution $G_{Y_{it}|X_{it}}$ for the i-th element Y_{it} , the joint counterfactual distribution $G_{Y_t|Z_t}$ can be estimated with $\widehat{G}_{Y_t|Z_t} = \rho(\widehat{F}_{Y_{1t}|X_{1t}}, \ldots, \widehat{F}_{Y_{Jt}|X_{Jt}})$. These estimated distributions

enable us to obtain the estimator of the actual and conterfactual joint distributions:²

$$\widehat{F}_{Y_{t+h}|Z_t} = \int \widehat{F}_{Y_{t+h}|Y_t,Z_t} d\widehat{F}_{Y_t|Z_t}, \text{ and } \widehat{F}_{Y_{t+h}|Z_t}^* = \int \widehat{F}_{Y_{t+h}|Y_t,Z_t} d\widehat{G}_{Y_t|Z_t}.$$

We apply the univariate DR approach to estimate the conditional distribution $F_{Y_{j,t+h}|Y_t,Z_t}$, with the estimator denoted as $\widehat{F}_{Y_{j,t+h}|Y_t,Z_t}$. The actual and conterfactual marginal distributions of $Y_{j,t+h}$ can be estimated in a similar way by replacing the conditional distributions with the estimated counterparts in (3). Finally, the DIR_h and $DIR_{j,h}$ can be estimated by the difference between the corresponding baseline and counterfactual distributions.

3.2 Asymptotic Properties

In this subsection, we provide the asymptotic properties of the conditional joint distribution estimators and the estimator of DIRFs. The proofs of all theorems in this subsection are provided in Appendix A.

Let $\ell_{y,j}(\cdot)$ be the population log-likelihood; we define the true parameters $\theta_j(y_j)$ as the solution to the following maximization problem:

$$\theta_j(y_j) = \arg\max_{\theta_j \in \Theta_j} \ell_{y,j}(\theta_j).$$
 (9)

A vector of the true parameters related to J conditional marginal distributions and a vector of the corresponding estimators are respectively given by

$$\theta(y) := \left(\theta_1(y_1)^\top, \theta_2(y_2)^\top, \dots, \theta_J(y_J)^\top\right)^\top \text{ and } \widehat{\theta}(y) := \left(\widehat{\theta}_1(y_1)^\top, \widehat{\theta}_2(y_2)^\top, \dots, \widehat{\theta}_J(y_J)^\top\right)^\top.$$

Also, let $\Theta := \times_{j=1}^J \Theta_j$ be the parameter space for $\theta(y)$ and $\widehat{\theta}(y)$. We denote the second derivative of the population log-likelihood at the true parameters by $H_j(y_j) := \nabla^2 \ell_{y,j} (\theta_j(y_j))$.

The following assumptions are imposed to obtain the asymptotic results:

²Alternavily, we can estimate the actual distribution $\widehat{F}_{Y_{t+h}|Z_t}$ directly using the transformation in equation (8). To maintain comparability between the estimators of the actual and counterfactual distributions, we use the same estimators for both distributions for our empirical application, as described in the main text.

Assumptions

- A1. The time series $\{(Y_t, Z_t)\}_{t=1}^T$ are strictly stationary β -mixing or absolutely regular process, with β -mixing coefficients $\{\beta_k\}$ satisfying the condition that $\sum_{k>0} \beta_k < \infty$. The supports \mathcal{Y} and \mathcal{Z} are compact subsets of \mathbb{R}^J and \mathbb{R}^k , respectively.
- A2. The link function $\Lambda(\cdot)$ is twice continuously differentiable with its first derivative $\lambda(\cdot)$. The log-likelihood function $\theta_j \mapsto \widehat{\ell}_{y,j}(\theta_j)$ is uniformly concave for any $y_j \in \mathcal{Y}_j$ with $j = 1, \ldots, J$.
- A3. The true parameters $\theta_j(\cdot)$ are contained in the interior of the compact parameter space Θ_j for every $j = 1, \ldots, J$.
- A4. The conditional density function $f_{Y_{jt}|X_{jt}}(y_j|x_j)$ is uniformly bounded in $\mathcal{Y}_j \times \mathcal{X}_j$ and continuous in \mathcal{Y}_j for every $j \in \{1, \ldots, J\}$.

Assumption A1 requires that the time series are β -mixing sequences, which allows for heteroscedasticity and serial dependence. In the theorems presented below, we establish the weak convergence of the empirical processes by utilizing the result in Rio (1998). The requirement of this result is that β -mixing sequences satisfy $\sum_{k>0} \beta_k < \infty$, which is a weaker condition than the one considered in Arcones and Yu (1994), where it is required that $\beta_k = O(k^{-c})$ for some c > 1. Furthermore, to obtain the limit processes, a compact support is required, which can be satisfied in our empirical application.

Assumption A2 ensures that standard optimization procedures based on derivatives can be used to obtain the maximum likelihood estimators, and that both the logit and probit links satisfy this assumption. Additionally, this assumption implies that the maximum eigenvalue of the Hessian matrix $H_j(y_j)$ is strictly negative uniformly over its support (see Boyd et al., 2004), which with Assumption A3 guarantees that the true parameters exist uniquely. Even when Model (2) is misspecified, under assumptions A2 and A3, the true parameters can be considered as pseudo-parameters satisfying the first-order condition, $\nabla \ell_{y,j}(\theta_j(y_j)) = 0$; thus, the parameter estimators can be interpreted under the quasi-likelihood framework for each $y_j \in \mathcal{Y}_j$ (see Huber, 1967; White, 1982). Assumption A4 is necessary to obtain the limit process of the estimators of the joint conditional distribution and the DIRFs over the supports for statistical inference.

For the maximum likelihood estimation in (6), we use the first derivative of the objective function $\nabla \hat{\ell}_{y,j}(\theta_j)$ for each j = 1, ..., J. We define, for $(\theta, y) \in \Theta \times \mathcal{Y}$,

$$\widehat{\Psi}_y(\theta) := \left[\widehat{\Psi}_{y,1}(\theta_1)^\top \dots, \widehat{\Psi}_{y,J}(\theta_J)^\top\right]^\top,$$

where $\widehat{\Psi}_{y,j}(\theta_j) := \sqrt{T} \nabla \widehat{\ell}_{y,j}(\theta_j)$ is written as

$$\widehat{\Psi}_{y,j}(\theta_j) = \frac{1}{\sqrt{T}} \sum_{t=1}^T \left[\Lambda \left(\phi_j(X_{jt})^\top \theta_j \right) - \mathbb{1} \{ Y_{jt} \le y_j \} \right] R \left(\phi_j(X_{jt})^\top \theta_j \right) \phi_j(X_{jt}),$$

with
$$R(u) := \lambda(u) / \{\Lambda(u)[1 - \Lambda(u)]\}.$$

In the below theorem, we obtain the joint limit process of the DR estimators.

Theorem 1. Suppose that Assumptions A1-A3 hold. Then, we have

$$\sqrt{T}(\widehat{\theta}(\cdot) - \theta(\cdot)) \rightsquigarrow \mathbb{B}(\cdot) \quad in \quad \times_{j=1}^{J} \ell^{\infty}(\mathcal{Y}_{j})^{d_{j}}$$

where $\mathbb{B}(\cdot)$ is a $\sum_{j=1}^{J} d_j$ -dimensional tight mean-zero Gaussian process over \mathcal{Y} . For any $y, y' \in \mathcal{Y}$, the covariance kernel of $\mathbb{B}(\cdot)$ is given by $H(y)^{-1}\Sigma(y, y')H(y')^{-1}$, where $H(y) := \operatorname{diag}(\{H_j(y_j)\}_{j=1}^{J})$ and $\Sigma(y, y') := \lim_{T \to \infty} \mathbb{E}[\widehat{\Psi}_y(\theta(y))\widehat{\Psi}_{y'}(\theta(y'))^{\top}]$.

The result in Theorem 1 shows that the covariance kernel exhibits a sandwich form owing to possible miss-specification under the quasi-likelihood framework. Additionally, the covariance kernel depends on the long-run covariance matrix in the presence of serial dependence. Since the limit process depends on unknown nuisance parameters, a moving block bootstrap (Kunsch, 1989; Liu and Singh, 1992), stationary bootstrap (Politis and Romano, 1994) or sub-sampling (Politis et al., 1997) can be used for practical inference.

We introduce a map from the DR parameters to a collection of the marginal conditional

distributions. For each $j=1,\ldots,J$, we define a map $\varphi_j:\mathbb{D}_{\varphi_j}\subset\mathbb{D}_j:=\ell^\infty(\mathcal{Y}_j)^{d_j}\mapsto\mathbb{S}_{\varphi_j}\subset$ $\ell^\infty(\mathcal{X}_j\times\mathcal{Y}_j)$, as

$$\varphi_j(b_j)(x_j, y_j) := \Lambda(\phi_j(x_j)^\top b_j(y_j)).$$

Let $\varphi(b) := \left[\varphi_1(b_1), \dots, \varphi_J(b_J) \right]^{\top}$ for $b = (b_1^{\top}, \dots, b_J^{\top})^{\top} \in \mathbb{D}_{\varphi} \subset \mathbb{D}$, where $\mathbb{D}_{\varphi} := \times_{j=1}^J \mathbb{D}_{\varphi_j}$ and $\mathbb{D} := \times_{j=1}^J \mathbb{D}_j$. Then, using the map $\varphi : \mathbb{D}_{\varphi} \mapsto \mathbb{S}_{\varphi} := \times_{j=1}^J \mathbb{S}_{\varphi_j}$, we can write

$$\varphi(\widehat{\theta}) = (\widehat{F}_{Y_{1t}|X_{1t}}, \widehat{F}_{Y_{2t}|X_{2t}}, \dots, \widehat{F}_{Y_{Jt}|X_{Jt}})^{\top} \text{ and } \varphi(\theta) = (F_{Y_{1t}|X_{1t}}, F_{Y_{2t}|X_{2t}}, \dots, F_{Y_{Jt}|X_{Jt}})^{\top}.$$

The map φ is Hadamard differentiable at $\theta \in \mathbb{D}_{\varphi}$ tangentially to \mathbb{D} with its Hadamard derivative, given by,

$$\varphi'_{\theta(\cdot)}(b) := \left[\varphi'_{1,\theta_1(\cdot)}(b_1), \dots, \varphi'_{J,\theta_J(\cdot)}(b_J)\right]^\top,$$

where
$$\varphi'_{j,\theta_j(\cdot)}(b_j)(x_j,y_j) := \lambda (\phi_j(x_j)^\top \theta_j(y_j)) \phi_j(x_j)^\top b_j(y_j)$$
 for $j = 1, \dots, J$.

The theorem below provides the joint asymptotic distribution of the J univariate distribution function estimators, applying the functional delta method with the Hadamard derivative in the above display. Furthermore, we can derive the asymptotic distribution of the estimator of any distributional characteristic that can be obtained through Hadamard differentiable maps.

Theorem 2. Suppose that Assumptions A1-A3 hold. Then,

(a) we have

$$\sqrt{T} \begin{pmatrix} \widehat{F}_{Y_{1t}|X_{1t}} - F_{Y_{1t}|X_{1t}} \\ \vdots \\ \widehat{F}_{Y_{Jt}|X_{Jt}} - F_{Y_{Jt}|X_{Jt}} \end{pmatrix} \rightsquigarrow \varphi'_{\theta(\cdot)}(\mathbb{B}) \quad in \quad \times_{j=1}^{J} \ell^{\infty}(\mathcal{Y}_{j} \times \mathcal{X}_{j}),$$

where \mathbb{B} is the tight mean-zero Gaussian process defined in Theorem 1.

(b) additionally, if a map $\nu : \mathbb{S}_{\varphi} \mapsto \ell^{\infty}(\mathcal{Z} \times \mathcal{Y})$ is Hadamard differentiable at $(F_{Y_{1t}|X_{1t}}, \dots, F_{Y_{Jt}|X_{Jt}})$

tangentially to $\varphi'_{\theta(\cdot)}(\mathbb{D})$ with the Hadamard derative $\nu'_{F_{Y_{1t}|X_{1t}},\dots,F_{Y_{Jt}|X_{Jt}}}$, then $\sqrt{T}\left\{\nu(\widehat{F}_{Y_{1t}|X_{1t}},\dots,\widehat{F}_{Y_{Jt}|X_{Jt}}) - \nu(F_{Y_{1t}|X_{1t}},\dots,F_{Y_{Jt}|X_{Jt}})\right\} \rightsquigarrow \nu'_{F_{Y_{1t}|X_{1t}},\dots,F_{Y_{Jt}|X_{Jt}}} \circ \varphi'_{\theta(\cdot)}(\mathbb{B}),$ in $\ell^{\infty}(\mathcal{Z}\times\mathcal{Y})$.

As the composition of Hadamard differentiable transformations remains Hadamard differentiable (Lemma 3.9.3, van der Vaart and Wellner, 1996), Theorem 2 can be applied to all these distributional characteristics of interest. As explained in Section 3.1, the conditional distributions $F_{Y_t|Z_t}$, $F_{Y_{t+h}|Y_t,Z_t}$ and $G_{Y_t|Z_t}$ can be obtained via Hadamard differentiable transformations of several univariate conditional distributions under Assumption A4. Furthermore, the DIRFs, DIR_h and $DIR_{j,h}$, are Hadamard differentiable transformations of these conditional distributions. Theorem 2(b) can be applied to perform statistical inference on the estimators of the conditional joint distribution and the DIRFs.

4 Macroeconomic and Financial Dependence

We apply the proposed approach to examine the time series data of macroeconomic and financial conditions in the U.S. The real GDP growth and the NFCI are used as indicators to measure the state of the economy and financial sector. A growing body of research has attempted to investigate the macro-financial interactions during recessions via VAR models of the GDP growth and NFCI (Carriero et al., 2020; Clark et al., 2021; Gertler and Gilchrist, 2018). The present empirical study extends this direction to conduct a more comprehensive distributional analysis. We address two main questions in this section. First, does the joint distribution of the GDP growth and NFCI conditional on past lagged information change during financial stress? Secondly, how does their joint distribution respond to a distributional shock in macro and financial conditions?

4.1 Data and Modeling Specification

The real GDP growth is computed using quarterly real GDP data from the Bureau of Economic Analysis³. The NFCI is a weighted average of 105 measures of national financial activity, each expressed relative to their sample averages and scaled by their sample standard deviations, which are released weekly by the Federal Reserve Bank of Chicago⁴. A positive NFCI suggests that the financial conditions are tighter than average. We use data from these two indices for the period 1973:Q1 to 2019:Q1, for analysis. These time series are released at different frequencies. Following Adrian et al. (2021), we convert the NFCI data into quarterly observations by averaging each quarter's weekly observations. We consider a bivariate model for the outcome $Y_t = (Y_{1t}, Y_{2t})^{\top}$, with Y_{1t} representing the quarterly NFCI and Y_{2t} representing the real GDP growth.

We apply the proposed multivariate DR approach to estimate horizon-specific multiperiod forecasting distributions for each variable. Specifically, we consider two-lag information $Z_t = (Y_{t-1}^{\top}, Y_{t-2}^{\top})^{\top}$ to estimate the joint conditional distribution $F_{Y_{t+h}|Y_t,Z_t}$ and three-lag information to develop the h-ahead forecasting distribution $F_{Y_{t+h}|Y_t,Z_t}$ for different h. DIRFs can then be estimated based on these conditional distributions, which enables the design of different counterfactual scenarios to investigate the possible policy effect on the entire distributions of both the NFCI and real GDP growth over time.


4.2 Multiperiod Ahead Conditional Distribution Forecast

Focusing on the one-quarter and one-year ahead horizons, we present the out-of-sample performance of the multivariate DR approach in estimating the multiperiod ahead forecasting distributions of the NFCI and real GDP growth.

³The data is downloaded from FRED https://fred.stlouisfed.org/series/A191RL1Q225SBEA

⁴More details about NFCI are available at https://www.chicagofed.org/publications/nfci/index

Figure 1: Empirical CDF of the Out-of-sample PITs



Notes: This figure reports the empirical CDF of the PITs by the DR approach for one-quarter-ahead (red solid line), and one-year-ahead (blue dotdash line), plus the CDF of the PITs under the null hypothesis of correct calibration (the 45-degree line) and the 95% confidence bands (dashed line) of the Rossi and Sekhposyan (2019) PITs test.

First, using the expanding window beginning with the estimation of the sample ranging from 1973:Q1 to 1982:Q3, we evaluate the out-of-sample performance of the distribution forecasts by analyzing the probability integral transform (PIT), which reflects the percentage of observations below any given quantile. In a perfectly calibrated model, the fraction of realizations below any given quantile of the predictive distribution exactly equals the quantile probability, thus the cumulative distribution of the PITs is a 45-degree line. The closer the empirical cumulative distribution of the PITs is to the 45-degree line, the better the model is calibrated. For different forecast horizons, the empirical distribution of PITs together with 95% confidence bands of Rossi and Sekhposyan (2019) PITs test⁵ for the predicted marginals of the real GDP growth and NFCI are shown in Figure 1. This illustrates that the empirical distributions of the PITs by the proposed approach are all well within the confidence intervals.

⁵Under the null of uniformity and independence of the PITs, we use the asymptotic critical value for a 5% significance level, 1.34, suggested by Rossi and Sekhposyan (2019) to construct the confidence bands.

(a) GDP: one-quarter-ahead (b) GDP: one-year-ahead (-5 -5 (c) NFCI: one-quarter-ahead (d) NFCI: one-year-ahead

-1 -2

Figure 2: Out-of-sample Predicted Distributions

Notes: Each panel displays the predicted marginal distributions over time. The light gray area represents the 5th-95th percentile intervals, the dark gray area indicates the 25th-75th percentile intervals, and the solid line represents the median of the distribution. The actual observations are illustrated with dotted lines.

-2

Additionally, we examine the estimated one-quarter and one-year ahead marginal distributions of the real GDP growth and NFCI using the expanding window (out-of-sample). Based on the predicted distributions, the 5th to 95th and 25th to 75th percentile intervals, the median, along with the data realizations are plotted in Figure 2. The distribution evolution of the real GDP growth shows that the median and lower tail (downside risk) exhibit significant time-series variation compared to the upper tail (upside risk). Comparing the predicted quantiles to the realizations reveals that the possibilities of adverse GDP growth and tight financial conditions can be detected by the predicted distributions in real time.

Based on the realizations of the real GDP growth and the NFCI, we find that when the NFCI is relatively loose, the economy evolves as usual. Simultaneously, extreme tightening of the NFCI coincides with extremely adverse GDP growth. In Figure 3, we plot the in-sample

conditional correlation coefficients between the real GDP growth and NFCI. The correlation coefficient fluctuates around 0 during the normal times but becomes significantly negative during recession periods. This suggests a nonlinear relationship between financial conditions and real activity, with their conditional joint distribution behaving very differently during normal times and recessions.

0.1 0 -0.1 -0.2 1975 1985 1995 2005 2015

Figure 3: In-sample Conditional Correlation between NFCI and real GDP Growth

Notes: The figure plots the correlation coefficients computed based on the one-step-ahead forecasting distributions. Shaded areas indicate U.S. recessions.

4.3 Multimodality in Macro-Financial Dynamics During the Great Recession


We further study how the joint distribution of the real GDP growth and NFCI evolved during the Great Recession. The joint distribution dynamics of the out-of-sample forecasting distributions, with different columns corresponding to forecast horizons from one (leftmost column, h = 1) to four (rightmost column, h = 4) quarters and rows corresponding to different conditioning information from 2008:Q1-Q3 (top row) to 2009:Q1-Q3 (bottom row), are illustrated in Figure 4.

The joint distributions of the real GDP growth and NFCI predicted using the data up

to 2008:Q1-Q3, displayed in the top row of Figure 4, are characterized by a single mode for all forecasting horizons. As the forecasting horizon increases, there is an increased likelihood of higher growth and looser financial conditions. However, with the inclusion of information from 2008:Q4, the predicted distributions exhibit multimodality. As depicted in the second row of Figure 4, the one-quarter-ahead predicted distribution displays two distinct modes, both centered around low GDP growth of approximately -2 and tight financial conditions (one around 1 and the other around 2). As the forecasting horizon extends, the predicted distribution gradually shifts its weight towards higher GDP growth and looser financial conditions. Finally, the one-year-ahead distribution resolves into a unimodal distribution centered near 2 for real GDP growth and average financial conditions (the NFCI is approximately 0). As additional information from 2009:Q1 and 2009:Q2 becomes available, the predicted distributions in the third and fourth rows evolve similarly to those shown in the second row. However, given the more recent information, the multimodality resolves more quickly. Notably, the predicted distributions conditional on information as of 2009:Q1-Q3 are approximately unimodal for all horizons, as shown in the last row of Figure 4. It is noteworthy that the multimodality in the distributions primarily stems from the shift in the distribution of the NFCI.

Therefore, the distributional behavior depicted in Figure 4 implies that during normal periods, the joint distribution of the real GDP growth and NFCI is characterized by a single mode. During periods of tight financial conditions, however, there is a marked change in the distribution's shape, with the emergence of multiple modes. When financial conditions are less severe, the multimodality is observed only in short-term forecasts and is usually resolved within a couple of quarters. Additionally, the plots indicate that as the forecasting horizon extends, both variables become increasingly volatile, with the real GDP growth exhibiting a greater degree of uncertainty.

Figure 4: Contour Plots of the Joint Distribution during the Great Recession



Notes: Each contour plot (with NFCI in x-axis and GDP in y-axis) is estimated using bivariate kernel density estimation with a bandwidth of (0.25, 0.8) based on samples generated from the multistep forecasting distribution. Different columns correspond to forecast horizons h = 1, 2, 3, 4, and different rows correspond to different conditioning information from 2008:Q1-Q3 to 2009:Q1-Q3.


4.4 Counterfactual Analysis During the Great Recession


Assuming that the information available about the economic and financial conditions is up to 2008:Q3, based on the out-of-sample forecasting distributions, we use the DIRF to explore the potential policy effects during the Great Recession. Specifically, we investigate the impact of the policy intervention aimed at limiting the possibility of tightening financial conditions or worsening GDP growth during 2008:Q4 on the predicted distributions in the following quarters.


4.4.1 Counterfactual Analysis of Distributional Impulse on the NFCI

Figure 5: Distributional Impulse on NFCI in 2008:Q4

Distribution of Y_t given Z_t for t equals to 2008:Q4 (h = 0)







Notes: Based on samples of the real GDP growth and NFCI generated from the joint distribution of 2008:Q4, conditional on 2008:Q1-Q3, the marginal densities and the joint contour plot are estimated using kernel density estimation with 'rule-of-thumb' bandwidths. The baseline distributions are plotted with blue dotdash lines, and counterfactual distributions are plotted with red solid lines.

We first explore the effect of the policy intervention in 2008:Q3, which could limit the possibility of tightening financial conditions during 2008:Q4. A counterfactual distribution, truncated normal distribution with mean of 0 and standard deviation of 0.2 on (-1.5, 2), is considered for the NFCI in 2008:Q4. In Figure 5, we provide the initial one-step-ahead (baseline) joint and marginal distributions in 2008:Q4, together with their counterfactual counterparts under the distributional impulse on Y_{1t} . Additionally, their differences in different quantiles over the distribution and moments, including the mean, standard deviation, skewness and kurtosis, are presented in Table 1, with h=0. The distributional impulse significantly reduces the 95% quantiles, skewness, and kurtosis of the NFCI, thereby also lowering other quantiles and moments. Simultaneously, it increases the 95% quantiles of GDP by approximately 1 and kurtosis by approximately 0.65; however, it has a minor influence on other quantiles and moments. The results suggest a minor contemporaneous effect of the NFCI shock on the GDP.


With the distributional impulse on the NFCI in 2008:Q4, we study the DIRFs for the following year, which ranges from 2009:Q1 to 2009:Q4 corresponding to the horizons h=1,2,3 and 4 quarters, respectively. Figure 6 presents a complete picture of how the entire joint and marginal distributions of the real GDP growth and NFCI respond to the impulse on the NFCI in the following year. Table 1 presents the results for the quantile and moment IRFs. From Figure 6, in the following two quarters, the right tail of the NFCI is greatly reduced, the left tail of the GDP becomes much thinner, and the left tail of the NFCI and right tail of the GDP become slightly fatter. Such an effect continues but decays at more distant horizons.

Table 1: QIR and MIR to NFCI Impulse

Variables					NFCI						GDP		
		h	0	1	2	3	4	_	0	1	2	3	4
Quantiles	0.05	Base	0.01	-0.36	-0.36	-0.41	-0.49		-1.77	-3.03	-3.03	-2.10	-3.03
		Diff	-0.34	-0.09	-0.09	-0.08	-0.16		0.00	0.93	1.26	0.80	0.93
	0.25	Base	0.15	-0.09	-0.11	-0.23	-0.37		0.68	0.40	0.34	1.20	1.36
		Diff	-0.28	-0.29	-0.25	-0.16	-0.05		0.02	0.96	1.11	0.80	0.09
	0.5	Base	0.55	0.18	0.17	-0.09	-0.14		2.03	1.96	1.96	2.90	3.00
		Diff	-0.55	-0.45	-0.48	-0.23	-0.22		0.00	0.94	0.94	0.20	0.10
	0.75	Base	1.00	0.68	0.62	0.56	0.40		3.20	3.60	3.60	4.67	4.94
		Diff	-0.87	-0.57	-0.51	-0.69	-0.42		0.00	0.60	0.60	0.17	0.17
	0.95	Base	2.40	2.72	2.55	2.47	2.72		6.26	7.06	7.44	8.10	8.10
		Diff	-2.08	-1.63	-1.68	-0.06	-0.32		-0.88	0.38	0.00	0.00	0.00
Moments	Mean	Base	0.71	0.52	0.46	0.35	0.27		1.86	1.85	1.84	2.81	2.91
		Diff	-0.71	-0.53	-0.50	-0.34	-0.28		0.05	0.88	0.92	0.54	0.17
	Std	Base	0.77	0.89	0.88	0.94	1.00		2.50	2.90	3.00	3.12	3.25
		Diff	-0.56	-0.22	-0.23	-0.10	-0.14		-0.23	-0.16	-0.30	-0.43	-0.18
	Skewess	Base	1.53	1.55	1.70	1.66	1.70		-0.20	-0.06	-0.03	-0.41	-0.59
		Diff	-1.52	1.52	1.54	1.00	0.71		-0.02	-0.22	-0.22	0.16	0.10
	Kurtosis	Base	4.83	4.70	5.14	4.66	4.72		4.90	3.07	3.16	3.90	3.92
		Diff	-1.79	8.49	9.43	4.40	3.44		0.65	0.53	0.72	0.59	0.03

Notes: This table presents different quantiles and moments for the baseline distributions $F_{Y_{j,t+h}|Z_t}$ (Base) and the quantile and moments differences from the counterfactual distributions $F_{Y_{j,t+h}|Z_t}^*$ to the baseline distributions (Diff) of NFCI and real GDP growth from 2008:Q4 (h = 0) to 2009:Q4 (h = 4).

Figure 6: Distributional Response to the NFCI Impulse





Notes: Different rows corresponding to forecasting distributions for forecast horizons from one (first row, h=1) to four (last raw, h=4) quarters, conditional on 2008:Q2-Q3. Refer to Figure 5 for details of the plots in each row.


This observation is further confirmed by investigating quantile IRFs. All quantiles of the NFCI decreases; however, the differences lessen over time. For the GDP, the impulse effect on the 95% quantile is negligible from 2009:Q2. All other quantiles, specifically the 5%, 25% and 75% quantiles, increase significantly in the following two quarters. The difference becomes smaller at further horizons but remains significant. Moreover, the exploration of the moments IRFs reveals that the mean of NFCI at all horizons decreases to approximately 0, driven by the significant impulse effect on the upper tail. A more substantial impact on the lower tail for GDP increases its mean to 2~3 for all horizons. The impulse significantly changes the skewness and kurtosis of the NFCI, and the results for the other moments also demonstrate significant long-run effects of both variables. Finally, we conclude that if the policies in 2008:Q3 had been able to limit the possibility of financial tightening in 2008:Q4, the likelihood of adverse GDP growth (left tail) and tight financial conditions (right tail) would have been largely eliminated in 2009:Q1-Q2 and reduced in 2009:Q3-Q4.

4.4.2 Counterfactual Analysis of Distributional Impulse on GDP

Figure 7: Distributional Impulse to real GDP growth in 2008:Q4 Distribution of Y_t given Z_t for t equals to 2008:Q4 (h = 0)







We explore the effect of the policy in 2008:Q3 that could have limited the possibility of low economic activity during 2008:Q4. Specifically, as shown in Figure 7, we maintain the conditional distribution of the NFCI in 2008:Q4 as it is, and a counterfactual distribution, truncated gamma distribution on (0,11) with scale parameter of 6 and shape parameter of 0.6 is considered for the GDP. Figure 8 shows the joint and marginal distributions of Y_t

given Z_t and their counterfactual counterparts; their differences in quantiles and moments are presented in Table 2, with h = 0. The distributional impulse on GDP increases the 5% quantile significantly from -2.1 to 1.5, and the other quantiles increases by approximately $1\sim2$. This impulse also significantly changes different moments of the GDP.


Using the distributional impulse on real GDP growth in 2008:Q4, we study the DIRFs for the following year from 2009:Q1 to 2009:Q4, which corresponds to the horizons h = 1, 2, 3, and 4 quarters, respectively. The dynamic effect of this impulse on the entire distributions of the NFCI and real GDP growth is illustrated in Figure 8, where the baseline distributions and the counterfactual distributions are plotted in blue and red, respectively. A slight difference between the baseline and counterfactual distributions for the NFCI and real GDP growth is observed for all horizons.

Table 2: QIR and MIR to GDP Impulse

Variables		NFCI						GDP						
		h	0	1	2	3	4	•	0	1	2	3	4	
	0.05	Base	0.01	-0.37	-0.36	-0.41	-0.50		-2.10	-3.03	-3.03	-2.10	-3.03	
		Diff	0.00	0.02	0.00	0.00	0.03		3.64	0.00	-0.59	0.00	0.00	
	0.25	Base	0.15	-0.10	-0.12	-0.24	-0.37		0.68	0.40	0.11	1.20	1.36	
		Diff	0.00	0.01	0.02	0.08	0.02		1.84	0.11	0.00	0.10	-0.06	
Quantiles	0.5	Base	0.55	0.18	0.17	-0.10	-0.14		2.03	2.00	2.00	2.90	3.04	
Quantiles		Diff	0.00	0.06	0.01	0.08	0.02		1.39	0.10	0.10	0.10	0.00	
	0.75	Base	1.00	0.68	0.62	0.55	0.31		3.20	3.60	3.80	4.67	5.11	
		Diff	0.00	0.00	0.00	0.07	0.09		1.25	0.30	0.10	0.17	0.00	
	0.95	Base	2.47	2.55	2.55	2.55	2.55		5.50	7.06	7.44	8.10	7.78	
		Diff	0.00	0.00	-0.08	0.00	0.00		0.81	0.38	0.34	0.00	0.32	
	Mean	Base	0.70	0.50	0.46	0.35	0.24		1.84	1.88	1.87	2.79	2.99	
		Diff	0.00	0.01	0.00	0.05	0.05		1.77	0.17	0.16	0.17	-0.05	
	Std	Base	0.77	0.87	0.88	0.95	0.98		2.46	2.91	3.02	3.10	3.23	
Moments		Diff	0.00	-0.01	-0.01	0.01	0.00		-0.99	0.08	0.15	-0.03	0.06	
	Skewess	Base	1.59	1.56	1.69	1.66	1.77		-0.22	-0.09	-0.02	-0.39	-0.58	
		Diff	0.00	0.00	-0.02	-0.10	-0.07		1.00	0.00	-0.09	-0.07	0.06	
	Kurtosis	Base	5.03	4.77	5.10	4.64	5.03		4.87	3.14	3.11	3.85	3.86	
		Diff	0.00	0.07	-0.07	-0.33	-0.18		-1.11	-0.27	-0.13	0.20	-0.17	

Notes: Refer to Table 1.

Figure 8: Distributional Response to the GDP Impulse



We further explore the quantile and moment IRFs presented in Table 2 to draw a more

concrete comparison. First, the quantile and moment IRFs of the NFCI at one- to four-quarters ahead are all close to 0. Regarding real GDP growth, the one- and two-quarters-ahead counterfactual distributions have a slightly fatter right tail and a larger mean than the baseline distributions. However, the counterfactual and baseline distributions are almost identical for more distant horizons. Thus, in the absence of a corresponding improvement in the distribution of NFCI, limiting the likelihood of negative real GDP growth in 2008:Q4 only increases the likelihood of positive economic activity in the short run and does not significantly affect the NFCI, even in the subsequent quarter.

We provide more exploration of this empirical application in Appendix B. Section B.1 introduces the simulation of samples of the outcome variables from the multiperiod forecasting distributions. The same model specification but with an alternative order is considered in Section B.2, where Y_{1t} represents the real GDP growth and Y_{2t} represents the quarterly NFCI. The results suggest that the order does not significantly affect the estimation of multiperiod forecasting distributions. We compare the proposed approach with the kernel regression method introduced by Adrian et al. (2021) in Section B.3. The results indicate that the performance of the kernel regression approach is sensitive to bandwidths, whereas the proposed DR approach demonstrats superior performance in eliciting this conditional distribution, specifically for the NFCI distribution. In Section B.4, we explore the use of the monthly NFCI in the system and a four-dimensional mixed-frequency model conditional on two lags by treating the three monthly NFCI series as separate observations within a quarter. Based on this model, we revisit the distribution forecasting and counterfactual analysis. For each scenario, 95% confidence bands for the entire distribution as well as density impulse responses are estimated using the moving block bootstrap approach, the results of which are presented in Section B.5.

5 Conclusion

This study develops a flexible semiparametric approach for characterizing the conditional joint distribution of multivariate time series. The resulting DIRF provides a more compre-

hensive picture of the dynamic heterogeneity. The asymptotic properties of the conditional distribution estimators and their transformations are also derived. Based on an analysis of the real GDP growth and NFCI in U.S., the empirical results confirm some existing findings in the literature: First, the tight financial conditions create multimodality in the conditional joint distribution. Second, restricting the upper tail of financial conditions has a noticeable impact on long-term GDP growth. However, with the inclusion of additional lag information, the extracted results of the proposed model on the effect of restricting the lower tail of the GDP during the global financial crisis suggest a negligible impact on the financial conditions.

References

- Adrian, T., N. Boyarchenko, and D. Giannone (2019). Vulnerable growth. *American Economic Review* 109(4), 1263–89.
- Adrian, T., N. Boyarchenko, and D. Giannone (2021). Multimodality in macrofinancial dynamics. *International Economic Review* 62(2), 861–886.
- Antolín-Díaz, J. and J. F. Rubio-Ramírez (2018). Narrative sign restrictions for svars. *American Economic Review* 108(10), 2802–29.
- Arcones, M. A. and B. Yu (1994). Central limit theorems for empirical and u-processes of stationary mixing sequences. *Journal of Theoretical Probability* 7(1), 47–71.
- Blanchard, O. J. and D. Quah (1989). The dynamic effects of aggregate demand and supply disturbances. *American Economic Review* 79(4), 655–673.
- Bloom, N. (2009). The impact of uncertainty shocks. Econometrica 77(3), 623–685.
- Boyd, S., S. P. Boyd, and L. Vandenberghe (2004). *Convex optimization*. Cambridge university press.
- Bradley, R. C. (1985). On the central limit question under absolute regularity. *The Annals of Probability* 13(4), 1314–1325.
- Carriero, A., T. E. Clark, and M. G. Marcellino (2020). Capturing macroeconomic tail risks with bayesian vector autoregressions. Working Papers 20-02R, Federal Reserve Bank of Cleveland.
- Chavleishvili, S. and S. Manganelli (2019). Forecasting and stress testing with quantile vector autoregression. Technical report.
- Chernozhukov, V., I. Fernandez-Val, and A. Galichon (2009). Improving point and interval estimators of monotone functions by rearrangement. *Biometrika* 96(3), 559–575.
- Chernozhukov, V., I. Fernández-Val, and B. Melly (2013). Inference on counterfactual distributions. *Econometrica* 81(6), 2205–2268.
- Chernozhukov, V., I. Fernandez-Val, and M. Weidner (2020). Network and panel quantile effects via distribution regression. *Journal of Econometrics*.
- Chetverikov, D., A. Santos, and A. M. Shaikh (2018). The econometrics of shape restrictions. *Annual Review of Economics* 10, 31–63.
- Clark, T. E., F. Huber, G. Koop, M. Marcellino, and M. Pfarrhofer (2021). Tail forecasting with multivariate bayesian additive regression trees. Working Papers 21-08R, Federal Reserve Bank of Cleveland.
- Foresi, S. and F. Peracchi (1995). The conditional distribution of excess returns: An empirical analysis. *Journal of the American Statistical Association* 90 (430), 451–466.
- Gertler, M. and S. Gilchrist (2018). What happened: Financial factors in the great recession. Journal of Economic Perspectives 32(3), 3–30.

- Hall, P., R. C. Wolff, and Q. Yao (1999). Methods for estimating a conditional distribution function. *Journal of the American Statistical association* 94 (445), 154–163.
- Huber, P. J. (1967). The behavior of maximum likelihood estimates under nonstandard conditions. In *Proceedings of the Fifth Berkeley Symposium on Mathematical Statistics and Probability*, Volume 1: Statistics, pp. 221–233. Berkeley, CA: University of California Press.
- Jordà, Ò. (2005). Estimation and inference of impulse responses by local projections. American Economic Review 95(1), 161–182.
- Jurado, K., S. C. Ludvigson, and S. Ng (2015). Measuring uncertainty. *American Economic Review* 105(3), 1177–1216.
- Kato, K. (2009). Asymptotics for argmin processes: Convexity arguments. *Journal of Multivariate Analysis* 100(8), 1816–1829.
- Kilian, L. and H. Lütkepohl (2017). Structural vector autoregressive analysis. Cambridge University Press.
- Koenker, R. and J. G. Bassett (1978). Regression quantiles. *Econometrica: journal of the Econometric Society*, 33–50.
- Koenker, R. and Z. Xiao (2004). Unit root quantile autoregression inference. *Journal of the American Statistical Association* 99 (467), 775–787.
- Koenker, R. and Z. Xiao (2006). Quantile autoregression. *Journal of the American statistical association* 101 (475), 980–990.
- Kunsch, H. R. (1989). The jackknife and the bootstrap for general stationary observations. *The Annals of Statistics*, 1217–1241.
- Litterman, R. B. (1986). Forecasting with bayesian vector autoregressions—five years of experience. *Journal of Business & Economic Statistics* 4(1), 25–38.
- Liu, R. Y. and K. Singh (1992). Efficiency and robustness in resampling. *The Annals of Statistics* 20(1), 370–384.
- McCracken, M. W. and J. T. McGillicuddy (2019). An empirical investigation of direct and iterated multistep conditional forecasts. *Journal of Applied Econometrics* 34(2), 181–204.
- Meier, J. (2020). Multivariate distribution regression. Technical report, Universitaet Bern, Departement Volkswirtschaft.
- Montes-Rojas, G. (2019). Multivariate quantile impulse response functions. *Journal of Time Series Analysis* 40(5), 739–752.
- Nolan, D. and D. Pollard (1987). U-processes: rates of convergence. *The Annals of Statistics*, 780–799.
- Pakes, A. and D. Pollard (1989). Simulation and the asymptotics of optimization estimators. *Econometrica: Journal of the Econometric Society*, 1027–1057.

- Plagborg-Møller, M. and C. K. Wolf (2021). Local projections and vars estimate the same impulse responses. *Econometrica* 89(2), 955–980.
- Politis, D. N. and J. P. Romano (1994). The stationary bootstrap. *Journal of the American Statistical Association* 89(428), 1303–1313.
- Politis, D. N., J. P. Romano, and M. Wolf (1997). Subsampling for heteroskedastic time series. *Journal of Econometrics* 81(2), 281–317.
- Pollard, D. (1984). Convergence of stochastic processes (1st ed. 1984. ed.). Springer series in statistics.
- Pollard, D. (1991). Asymptotics for least absolute deviation regression estimators. *Econometric Theory* 7(2), 186–199.
- Primiceri, G. E. (2005). Time varying structural vector autoregressions and monetary policy. *The Review of Economic Studies* 72(3), 821–852.
- Rio, E. (1998). Processus empiriques absolument réguliers et entropie universelle. *Probability Theory and Related Fields* 111(4), 585–608.
- Rossi, B. and T. Sekhposyan (2019). Alternative tests for correct specification of conditional predictive densities. *Journal of Econometrics* 208(2), 638–657.
- Rothe, C. and D. Wied (2013). Misspecification testing in a class of conditional distributional models. *Journal of the American Statistical Association* 108(501), 314–324.
- Rubio-Ramirez, J. F., D. F. Waggoner, and T. Zha (2010). Structural vector autoregressions: Theory of identification and algorithms for inference. *The Review of Economic Studies* 77(2), 665–696.
- Sims, C. A. (1980). Macroeconomics and Reality. Econometrica 48(1), 1–48.
- Stock, J. H. and M. W. Watson (2001). Vector autoregressions. *Journal of Economic Perspectives* 15(4), 101–115.
- van der Vaart, A. (1994). Weak convergence of smoothed empirical processes. *Scandinavian Journal of Statistics*, 501–504.
- van der Vaart, A. and J. Wellner (1996). Weak convergence and empirical processes: with applications to statistics. Springer Science & Business Media.
- Wang, Y., T. Oka, and D. Zhu (2022, March). Bivariate Distribution Regression with Application to Insurance Data. Papers 2203.12228, arXiv.org.
- White, H. (1982). Maximum likelihood estimation of misspecified models. *Econometrica* 50(1), 1–25.
- White, H., T.-H. Kim, and S. Manganelli (2015). Var for var: Measuring tail dependence using multivariate regression quantiles. *Journal of Econometrics* 187(1), 169–188.
- Williams, O. D. and J. E. Grizzle (1972). Analysis of contingency tables having ordered response categories. *Journal of the American Statistical Association* 67(337), 55–63.

Appendix

A Theoretical Results

We will use some notations and results from the literature on empirical process. For more details we refer to van der Vaart (1994) and Pollard (1984). Let \mathcal{F} denote a class of real-valued (measurable) functions with envelope F. Given $\epsilon \in (0,1)$ and $p \geq 1$, the covering number $N(\epsilon ||F||_{Q,p}, \mathcal{F}, L_p(Q))$ of \mathcal{F} with respect to some probability measure Q is defined as the smallest cardinality of $\epsilon ||F||_{Q,p}$ -cover of \mathcal{F} with respect to the $L_p(Q)$ -norm $||\cdot||_{Q,p} := (Q|\cdot|^p)^{1/p}$. The class \mathcal{F} is said to be Euclidean for the envelop F if there exist constants A and V such that

$$N(\epsilon ||F||_{Q,1}, \mathcal{F}, L_1(Q)) \le A\epsilon^{-V},$$

for all $\epsilon \in (0,1]$ and all measures Q whenever $QF \in (0,\infty)$. It can be shown that if \mathcal{F} is Euclidean, then for each p > 1,

$$N(\epsilon ||F||_{Q,p}, \mathcal{F}, L_p(Q)) \le A2^{pV} \epsilon^{-pV},$$
 (A.1)

whenever $QF^p \in (0, \infty)$. See Nolan and Pollard (1987) for instance.

We define $\psi_y(\theta) := \left[\psi_{y,1}(\theta_1)^\top, \dots, \psi_{y,J}(\theta_J)^\top \right]^\top$ for $(\theta, y) \in \Theta \times \mathcal{Y}$, where

$$\psi_{y,j}(\theta_j) := \left[\Lambda \left(\phi_j(X_{jt})^\top \theta_j \right) - \mathbb{1} \{ Y_{jt} \le y_j \} \right] R \left(\phi_j(X_{jt})^\top \theta_j \right) \phi_j(X_{jt}).$$

The lemma blow shows the Donskerness of the class of functions $\{\psi_y(\theta(y)):y\in\mathcal{Y}\}$

Lemma A.1. Suppose that Assumptions A1-A2 hold. Then, the function class $\{\psi_y(\theta(y)): y \in \mathcal{Y}\}$ is Donsker with a square-integrable envelope.

Proof. We define the function classes, for each j = 1, ..., J,

$$\mathcal{H}_j := \left\{ x_j \mapsto \phi_j(x_j)^\top \theta_j : \theta_j \in \Theta_j \right\} \quad \text{and} \quad \mathcal{I}_j := \left\{ v_j \mapsto \mathbb{1} \{ v_j \le y_j \} : y_j \in \mathcal{Y}_j \right\}.$$

Lemma 2.6.15 of van der Vaart and Wellner (1996) shows that \mathcal{H}_j and \mathcal{I}_j are VC-subgraph classes. Letting $\mathcal{G}_j := \{x_j \mapsto \phi_j(x_j)^\top \theta_j(y_j) : y_j \in \mathcal{Y}_j\}$ for $j = 1, \dots, J$, we can write

 $\mathcal{G}_j = \mathcal{H}_j \circ \theta(\cdot)$. Then, the class \mathcal{G}_j and its monotonic transformation $\Lambda(\mathcal{G}_j)$ are VC-subgraph classes by Lemma 2.6.18 (vii) and (viii) of van der Vaart and Wellner (1996), respectively. Given that the transformation $\phi_j : \mathcal{X}_j \to \mathbb{R}^{d_j}$, we can write $\phi_j(x_j) \equiv [\phi_j^{(1)}(x_j), \dots, \phi_j^{(d_j)}(x_j)]^{\top}$. Lemma 2.6.18 (vi) of van der Vaart and Wellner (1996) shows that $\Lambda(\mathcal{G}_j) \cdot \phi_j^{(\ell)}$ and $\mathcal{I}_j \cdot \phi_j^{(\ell)}$ are VC-subgraph.

Because all VC-classes are Euclidean by Lemma II.25 of Pollard (1984), the classes $\Lambda(\mathcal{G}_j) \cdot \phi_j^{(\ell)}$ and $\mathcal{I}_j \cdot \phi_j^{(\ell)}$ are Euclidean with envelop $|\phi_j^{(\ell)}|$. Also, under Assumption A2, $R(\cdot)$ is continuously differentiable and has uniformly bounded derivative, so that $|R'(\cdot)| \leq M$ uniformly for some constant M. It follows that, for any $g_1, g_2 \in \mathcal{G}_j$ with $||g_2 - g_1||_{Q,1} < \epsilon/M$, we can show that

$$||R(g_2) - R(g_1)||_{Q,1} \le M||g_2 - g_1||_{Q,1} \le \epsilon.$$

Since \mathcal{G}_j is Euclidean, we have that, for some constants A_j and V_j ,

$$N(\epsilon \| \bar{R}_i \|_{Q,1}, R(\mathcal{G}_i), L_1(Q)) \le N((\epsilon/M) \| G_i \|_{Q,1}, \mathcal{G}_i, L_1(Q)) \le (A_i M^{V_i}) \epsilon^{-V_i},$$

Thus, $R(G_j)$ is Euclidean with envelop $\bar{R}_j := R(g_{j,0}) + c(|g_{j,0}| + G_j)$ for some $g_{j,0} \in \mathcal{G}_j$. Lemma 19 and Corollary 17 of Nolan and Pollard (1987) show that addition of Euclidean classes is Euclidean and Lemma 2.14 (ii) of Pakes and Pollard (1989) shows that multiplication of Euclidean classes is Euclidean. Thus, function class $\mathcal{F}_j^{(\ell)} := \{\{[\Lambda(\mathcal{G}_j) - \mathcal{I}_j]R(\mathcal{G}_j)\phi_j^{(\ell)}\}$ is Euclidean with envelop $F_j^{(\ell)} := |\phi_j^{(\ell)}| \cdot \bar{R}_j$ for each $j = 1, \ldots, J$ and $\ell = 1, \ldots, d_j$. Then, each entry of vector $\psi_y(\theta(y))$ is an element in the following Euclidean classes of functions:

$$\mathcal{F} := \cup_{j=1}^J \cup_{\ell=1}^{d_j} \mathcal{F}_j^{(\ell)}.$$

It follows from (A.1) that, for some constants $A_j^{(\ell)}$ and $V_j^{(\ell)}$,

$$N(\epsilon \|\bar{F}_i^{(\ell)}\|_{Q,2}, \mathcal{F}_i^{(\ell)}, L_2(Q)) \le A_i^{(\ell)} 2^{2V_j^{(\ell)}} \epsilon^{-2V_j^{(\ell)}},$$

for every j = 1, ..., J and $\ell = 1, ..., d_j$, and thus we can show that

$$\int_{0}^{1} \left(\sup_{Q} \log N(\epsilon \| F_{j}^{(\ell)} \|_{Q,2}, \mathcal{F}_{j}^{(\ell)}, L_{2}(Q)) \log(1/\epsilon) \right)^{1/2} d\epsilon < \infty.$$

This together with Theorem 1 of Rio (1998) implies that the class \mathcal{F} is Donsker.

Proof of Theorem 1. Fist, we shall obtain the asymptotic linear representation for the DR estimator under the β -mixing condition. That is, we will show that, uniformly in $y \in \mathcal{Y}$,

$$\sqrt{T}\{\widehat{\theta}(y) - \theta(y)\} = -(H(y))^{-1}\widehat{\Psi}_y(\theta(y)) + o_p(1). \tag{A.2}$$

Since $\widehat{\theta}(y)$ and $\theta(y)$ respectively consists of subvectors $\{\widehat{\theta}_j(y_j)\}_{j=1}^J$ and $\{\theta_j(y_j)\}_{j=1}^J$ with finite J, it suffices to prove that, for each $j=1,\ldots,J$, uniformly in $y_j \in \mathcal{Y}_j$,

$$\sqrt{T}\{\widehat{\theta}_j(y_j) - \theta_j(y_j)\} = -(H_j(y_j))^{-1}\widehat{\Psi}_{y,j}(\theta_j(y_j)) + o_p(1). \tag{A.3}$$

Fix $j \in \{1, ..., J\}$ and let M be a finite positive constant. For notational simplicity, we define a localized objective function given $\delta_j \in \mathbb{R}^{d_j}$

$$\widehat{Q}_{y,j}(\delta_j) := \widehat{\ell}_{y,j} (\theta_j(y_j) + T^{-1/2}\delta_j) - \widehat{\ell}_{y,j} (\theta_j(y_j)).$$

Then, the estimator $\widehat{\delta}_j(y_j) := \sqrt{T} (\widehat{\theta}_j(y_j) - \theta_j(y_j))$ is the solution to $\max_{\delta_j \in \mathbb{R}^{d_j}} \widehat{Q}_{y,j}(\delta_j)$.

Under Assumption A.2, the map $\delta_j \mapsto \widehat{Q}_{y,j}(\delta_j)$ is twice continuously differentiable and thus we can show that

$$T\widehat{Q}_{y,j}(\delta_j) = \delta_j^{\top} \widehat{\Psi}_{y,j} (\theta_j(y_j)) + \frac{1}{2} \delta_j^{\top} \widehat{H}_j(y_j) (\theta_j(y_j)) \delta_j + o(T^{-1} ||\delta_j||^2),$$

uniformly in $y_j \in \mathcal{Y}_j$, for each fixed δ_j with $\|\delta_j\| \leq M$. Also, we can show that $\widehat{H}_j(y_j) \to^p H_j(y_j)$ uniformly in $y_j \in \mathcal{Y}_j$, by the uniform law of large numbers. Thus, for each δ_j with $\|\delta_j\| \leq M$, we can show that $\sup_{y_j \in \mathcal{Y}_j} |\widehat{Q}_{y,j}(\delta_j) - \widetilde{Q}_{y,j}(\delta_j)| = o_p(T^{-1})$, where

$$T\widetilde{Q}_{y,j}(\delta_j) := \delta_j^{\top} \widehat{\Psi}_{y,j} (\theta_j(y_j)) + \frac{1}{2} \delta_j^{\top} H_j(y_j) \delta_j.$$

The convexity lemma (see Pollard, 1991; Kato, 2009) extends the point-wise convergence with respect δ_i to the uniform converges and thus, under Assumption A2,

$$\sup_{y_j \in \mathcal{Y}_j} \sup_{\delta_j : \|\delta_j\| \le M} \left| \widehat{Q}_{y,j}(\delta_j) - \widetilde{Q}_{y,j}(\delta_j) \right| = o_p(T^{-1}). \tag{A.4}$$

Let $\widetilde{\delta}_j(y_j) := -(H_j(y_j))^{-1} \widehat{\Psi}_{y,j}(\theta_j(y_j))$, which maximizes $\widetilde{Q}_{y,j}(\delta_j)$. Then, simple algebra can show that, for any δ_j and for some constant c > 0,

$$\widetilde{Q}_{y,j}(\widetilde{\delta}_j(y_j)) - \widetilde{Q}_{y,j}(\delta_j) = -\frac{1}{2T}(\widetilde{\delta}_j(y_j) - \delta_j)^{\top} H_j(y_j)(\widetilde{\delta}_j(y_j) - \delta_j) \ge \frac{c}{2T} \|\widetilde{\delta}_j(y_j) - \delta_j\|^2, (A.5)$$

where the last inequality is due to that $H_j(y_j)$ is negative definite under Assumption A2. For any subset $D \subseteq \mathbb{R}^{d_j}$ including $\widetilde{\delta}_j(y_j)$, an application of the triangle inequality obtains

$$2 \sup_{\delta_{j} \in D} |\widehat{Q}_{y,j}(\delta_{j}) - \widetilde{Q}_{y,j}(\delta_{j})| \geq \sup_{\delta_{j} \in D} \{\widetilde{Q}_{y,j}(\widetilde{\delta}_{j}(y_{j})) - \widetilde{Q}_{y,j}(\delta_{j})\}
- \sup_{\delta_{j} \in D} \{\widehat{Q}_{y,j}(\widetilde{\delta}_{j}(y_{j})) - \widehat{Q}_{y,j}(\delta_{j})\}.$$
(A.6)

Let $\eta > 0$ be an arbitrary constant. Because of the concavity under Assumption A2, difference quotients satisfy that, for any $\zeta > \eta$ and for any $v \in S^{d_1}$ with the unit sphere S^{d_1} in \mathbb{R}^{d_1} ,

$$\frac{\widehat{Q}_{y,j}(\widetilde{\delta}_j(y_j) + \eta v) - \widehat{Q}_{y,j}(\widetilde{\delta}_j(y_j))}{\eta} \ge \frac{\widehat{Q}_{y,j}(\widetilde{\delta}_j(y_j) + \zeta v) - \widehat{Q}_{y,j}(\widetilde{\delta}_j(y_j))}{\zeta}.$$

This inequality with a set $\widetilde{D}_j(\eta) := \{\delta_j \in \mathbb{R}^{d_j} : \|\delta_j - \widetilde{\delta}_j(y_j)\| \leq \eta\}$ implies that, given the event $\{\sup_{y \in \mathcal{Y}_j} \|\widehat{\delta}_j(y_j) - \widetilde{\delta}_j(y_j)\| \geq \eta\}$, we have, for any $y_j \in \mathcal{Y}_j$,

$$\sup_{\delta_j \in \widetilde{D}_j(\eta)} \widehat{Q}_{y,j}(\delta_j) - \widehat{Q}_{y,j}(\widetilde{\delta}_j(y_j)) \ge 0, \tag{A.7}$$

where the last inequality is due to that $\widehat{Q}_{y,j}(\widehat{\delta}_j(y_j)) - \widehat{Q}_{y,j}(\widetilde{\delta}_j(y_j)) \ge 0$, by definition of $\widehat{\delta}_j(y_j)$. It follows from (A.5)-(A.7) that, given the event $\{\sup_{y \in \mathcal{Y}_j} \|\widehat{\delta}_j(y_j) - \widetilde{\delta}_j(y_j)\| \ge \eta\}$,

$$\sup_{\delta_j \in \widetilde{D}_j(\eta)} \left| \widehat{Q}_{y,j}(\delta_j) - \widetilde{Q}_{y,j}(\delta_j) \right| \ge \frac{c}{4T} \eta^2.$$

Because $\widehat{\Psi}_{y,j}(\theta(y_j))$ is Donsker by Lemma A.1, we can show that, for any $\xi > 0$, there exists a constant C such that $\Pr\left(\sup_{y_j \in \mathcal{Y}_j} \|\widetilde{\delta}_j(y_j)\| \geq C\right) \leq \xi$ for a sufficiently large T. Thus, the above display implies that

$$\Pr\left(\sup_{y_j \in \mathcal{Y}_j} \|\widehat{\delta}_j(y_j) - \widetilde{\delta}_j(y_j)\| \ge \eta\right) \le \Pr\left(\sup_{y_j \in \mathcal{Y}_j} \sup_{\delta_j: \|\delta_j\| \le \eta + C} |\widehat{Q}_{y,j}(\delta_j) - \widetilde{Q}_{y,j}(\delta_j)| > \frac{c}{4T}\eta^2\right) + \xi,$$

for a sufficiently large T. It follows from (A.4) that the first term on the right side of the above equation converges to 0 as $T \to \infty$. Thus, we obtain (A.3), which implies (A.2).

Now, Lemma A.1 shows that the empirical process $\widehat{\Psi}_y(\theta(y))$ is stochastically equicontinuous over \mathcal{Y} . The finite dimensional convergence follows from the central limit theorem for β -mixing processes (Theorem 4, Bradley, 1985). This with the stochastic equicontinuity of the map $y \mapsto \widehat{\Psi}(\theta(y))$ implies that $\widehat{\Psi}(\cdot) \leadsto \mathbb{B}(\cdot)$ in $\times_{j=1}^J \ell^\infty(\mathcal{Y}_j)^{d_j}$ where $\mathbb{B}(\cdot)$ is a zero-mean Gaussian process with covariance function defined in Theorem 1.

Proof of Theorem 2. (a) Under Assumptions A1-A3, the map $\varphi(\cdot)$ is shown to be Hadamard differentiable at $\theta(\cdot)$ tangentially to \mathbb{D} with the derivative map $b := (b_1, \ldots, b_J) \mapsto \varphi'_{\theta(\cdot)}(b)$, given by

$$\varphi'_{\theta(\cdot)}(b)(x,y) = \begin{bmatrix} \lambda(\phi_1(x_1)^\top \theta_1(y_1))\phi_1(x_1)^\top b_1(y_1) \\ \vdots \\ \lambda(\phi_J(x_1)^\top \theta_J(y_J))\phi_J(x_J)^\top b_J(y_J) \end{bmatrix}.$$

Then, we can write $(\widehat{F}_{Y_{1t}|X_{1t}}, \dots, \widehat{F}_{Y_{Jt}|X_{Jt}})^{\top} = \varphi(\widehat{\theta}(\cdot))$ and $(F_{Y_{1t}|X_{1t}}, \dots, F_{Y_{Jt}|X_{Jt}})^{\top} = \varphi(\theta(\cdot))$. Applying the functional delta method with the result in Theorem 1, we can show that

$$\sqrt{T} \begin{pmatrix} \widehat{F}_{Y_{1t}|X_{1t}} - F_{Y_{1t}|X_{1t}} \\ \vdots \\ \widehat{F}_{Y_{Jt}|X_{Jt}} - F_{Y_{Jt}|X_{Jt}} \end{pmatrix} \rightsquigarrow \varphi'_{\theta(\cdot)}(\mathbb{B}) \text{ in } \times_{j=1}^{J} \ell^{\infty}(\mathcal{X}_{j} \times \mathcal{Y}_{j}).$$

(b) The chain rule for Hadamard differentiable maps (Lemma 3.9.3, van der Vaart and Wellner, 1996) shows that $\nu \circ \varphi : \mathbb{D}_{\varphi} \to \ell^{\infty}(\mathcal{Z} \times \mathcal{Y})$ is Hadamard differntiable at θ tangentially to \mathbb{D} with derivative $\nu'_{\varphi(\theta(\cdot))} \circ \varphi'_{\theta(\cdot)}$. An application of the functional delta method yields the desired conclusion.

B Additional Results for Empirical Application

We provide more results of the empirical application. Section B.1 introduces a simulation of samples of the outcome variables from the multiperiod forecasting distributions. In Section B.2, we consider the same model specification as in Section 4, but with an alternative order where Y_{1t} represents the real GDP growth and Y_{2t} represents the quarterly NFCI. We compare the proposed approach with the kernel regression method introduced by Adrian et al. (2021) in Section B.3. In Section B.4, we explore the use of the monthly NFCI in the system and a four-dimensional mixed-frequency model conditional on two lags by treating the three monthly NFCI series as separate observations within a quarter. Based on this model, we revisit the distribution forecasting and counterfactual analysis. Finally, in Section B.5, we estimate 95% confidence bands for the distribution as well as density impulse responses using the moving block bootstrap approach for each scenario, and present the results.

B.1 Sample from Joint Conditional Distributions

We explain how to generate random numbers of Y_t from the estimated joint conditional distribution $\widehat{F}_{Y_t|Z_t}(\cdot|z)$ based on Model (8). We assume that for the j-th element Y_{jt} , the conditional CDF $\widehat{F}_{Y_{jt}|X_{jt}}(\cdot|x_j)$ is estimated by DR approach over a set of finite points $\widetilde{\mathcal{Y}}_j \subseteq \mathcal{Y}_j$ for each $j = 1, \ldots, J$.

Algorithm 1 An algorithm for generating S random samples of Y_t from $\widehat{F}_{Y_t|Z_t}(\cdot|z)$

 $\overline{\text{For } s = 1, ..., S, \text{ do}}$


- 1. Let j=1 and set the covariate $x_1^{(s)}=(1,z^\top)^\top.$
- 2. Generate a standard uniform random number: $u_j^{(s)} \sim U(0,1)$.
- 3. Obtain

$$y_j^{(s)} = \min \left\{ y_j \in \widetilde{\mathcal{Y}}_j : \widehat{F}_{Y_{jt}|X_{jt}}(y_j|x_j^{(s)}) < u_j^{(s)} \right\}.$$

- 4. Let j = j + 1 and set $x_{j+1}^{(s)} = (x_j^{\top}, y_j^{(s)})^{\top}$.
- 5. Repeat Steps 2-4 untill j = J.
- 6. Output: $(y_1^{(s)}, \ldots, y_J^{(s)})$, which is a vector of realized values of Y_t .

B.2 Joint Conditional Distribution with Alternative order

Figure B.1: Contour Plots of the Joint Distribution during the Great Recession



Notes: Refer to Figure B.1. These plots are constructed based on the same model in Section 4 but with Y_{1t} representing GDP and Y_{2t} representing NFCI.

B.3 Comparison with Kernel Regression

Recently, Adrian et al. (2021) attempted to construct the joint distribution of the financial conditions and real GDP growth by the kernel regression method. We compare our DR approach with the kernel regression on estimating the forecasting distributions. Following their work, we parameterize the bandwidths as being proportional to the in-sample unconditional standard deviation of the corresponding variable with the single proportionally constant c.

(a) GDP: One quarter ahead (b) GDP: One year ahead Kernel(c = 0.2)Kernel(c = 0.25)Kernel(c = 0.4)Kernel(c = 0.4)0.8 0.8 DRDR0.6 0.6 0.4 0.4 0.2 0.2 0 0 0.8 0.4 0.6 0.8 0.2 0.4 0.6 0.2 0 1 0 1 (c) NFCI: One quarter ahead (d) NFCI: One year ahead 1 1 Kernel(c = 0.2)Kernel(c = 0.25)-Kernel(c = 0.4)-Kernel(c = 0.4)0.8 0.8 DR0.6 0.6 0.4 0.4 0.2 0.2 () () 0.20.4 0.6 0.8 0.2 0.4 0.6 0.8

Figure B.2: Empirical CDF of the Out-of-sample PITs

Notes: This figure reports the empirical CDF of the PITs by the DR approach (red), the Kernel Regression approach with optimal multiperiod forecasing performance (green) and optimal model calibration (blue), plus the CDF of the PITs under the null hypothesis of correct calibration (the 45-degree line) and the 95% confidence bands (dashed-line) of the Rossi and Sekhposyan (2019) PITs test.

Given a sequence of values of c, we figure out the one that maximizes the predictive accu-

racy of the resultant multiperiod conditional joint distribution (measured by log predictive score) and the one that optimizes the out-of-sample calibration of the model (measured by PITs). We compare the PITs of kernel regression in these two cases with our approach in Figure B.2. The results show that the kernel regression model can be a correct specification with appropriate bandwidths, while the bandwidths that maximize the predictive accuracy are likely to result in miss-specification.

B.4 Mixed Frequency Model

We further explore the use of monthly financial conditions in the system considering that converting the monthly available financial conditions into quarterly series often results in information loss.

Spefically, we convert NFCI into monthly frequency by averaging weekly observations. We use three monthly NFCI data instead of the aggregate quarterly NFCI data used before to provide an updated view of the real GDP growth. A 4-dimensional mixed frequency model is developed by treating the three monthly NFCI series as separate observations within a quarter. We let Y_{jt} , j = 1, 2, 3 be the NFCI of the j-th month in quarter t, and Y_{4t} be the real GDP growth in this model. As in Section 4, we consider $Z_t = (Y_{t-1}^T, Y_{t-2}^T)^T$ as the covariates to characterise the joint conditional distribution $F_{Y_t|Z_t}$ and $F_{Y_{t+h}|Y_t,Z_t}$. With such model specification, there are 8 conditional variables for the joint distribution. It is known that kernel-based methods suffer from the so-called 'curse-of-dimensionality' when applied to multivariate data. However, taking into account overparameterization and collinearity among the covariates, the DR approach allows us to adapt popular regularization techniques easily to enhance the prediction accuracy. In this application, we apply the lasso regression when we estimate the model (2).

The out-of-sample calibration of the distribution forecasts is evaluated via the PITs test and presented in Figure B.3. The empirical CDF of PITs for all variables at both the one-quarter and one-year ahead horizons are all well within the 95% confidence bands. Comparing the results of real GDP growth with Model 1 (see Figure 1) shows that using higher-frequency financial conditions data leads to improvement, especially for one quarter ahead of forecast.





Figure B.3: Empirical CDF of the Out-of-sample PITs

Notes: This figure reports the empirical CDF of the PITs for the three monthly financial conditions and the real GDP growth. In each panel specific to different variables, the empirical CDF of the PITs for both one-quarter-ahead (red) and one-year-ahead (blue), plus the CDF of the PITs under the null hypothesis of correct calibration (the 45-degree line) and the 95% confidence bands (dashed-line) of the Rossi and Sekhposyan (2019) PITs test are plotted.

Now, we reinvestigate the counterfactual analysis under this model specification. First, we consider the same counterfactual distribution for Y_{1t} in the first month of 2008:Q4. We provide the impulse responses results on the entire distributions of each variable in the following one year in Figure B.4. While the same conclusion can be reached as in Section 4, there is more evidence for the persistence of the impulse effect that the perturbation in the first month of 2008:Q4 still affects the distributions of both the financial conditions and real GDP growth in 2009:Q4.

Figure B.4: Distributional Response to NFCI Impulse



Notes: Different rows correspond to different variables, and for each variable, different columns correspond to forecast horizons from one (first row, h=1) to four (last raw, h=4) quarters, given all the information available in 2008:Q4. The marginal densities are constructed using kernel density estimation with bandwidths of 0.25 for the three monthly NFCI and 0.8 for GDP. The baseline distributions are in blue, and counterfactual distributions are in red.

Table B.1: QIR to NFCI Impulse

Quantiles (τ)		0.05		0.25		0.5		0.75		0.95	
	h	Base	Diff	Base	Diff	Base	Diff	Base	Diff	Base	Diff
NFCI1	0	0.62	-0.96	0.82	-0.96	1.03	-1.03	1.08	-0.96	2.31	-1.94
	1	-0.16	-0.26	0.25	-0.60	0.52	-0.70	1.47	-1.26	2.96	-2.41
	2	-0.36	-0.11	-0.19	-0.26	0.18	-0.51	1.03	-1.20	2.71	-1.24
	3	-0.45	-0.08	-0.21	-0.25	0.00	-0.41	0.82	-0.88	3.18	-0.87
	4	-0.51	-0.10	-0.41	-0.09	-0.06	-0.31	0.37	-0.39	2.71	-0.89
NFCI2	0	0.20	-0.58	0.45	-0.72	0.82	-0.96	1.89	-1.91	2.46	-2.04
	1	-0.30	-0.22	0.07	-0.45	0.45	-0.64	1.08	-0.71	2.71	-2.08
	2	-0.46	-0.07	-0.36	-0.11	0.07	-0.45	0.72	-0.93	2.46	-0.99
	3	-0.50	-0.09	-0.22	-0.21	-0.02	-0.34	0.72	-0.74	2.46	-0.57
	4	-0.66	-0.16	-0.41	-0.16	-0.08	-0.22	0.18	-0.06	2.46	-1.43
NFCI3	0	-0.02	-0.43	0.42	-0.76	0.55	-0.73	1.89	-1.90	3.18	-2.73
	1	-0.41	-0.13	-0.02	-0.43	0.55	-0.80	1.31	-0.79	2.71	-1.40
	2	-0.38	-0.16	-0.32	-0.06	0.00	-0.34	0.82	-1.01	2.96	-1.66
	3	-0.56	0.00	-0.32	-0.10	-0.02	-0.28	0.52	-0.52	2.46	-0.64
	4	-0.67	-0.09	-0.36	-0.18	-0.06	-0.16	0.08	-0.01	2.31	-1.49
GDP	0	-3.20	1.45	0.50	0.30	1.90	0.10	3.10	0.00	6.48	-0.98
	1	-3.60	1.85	-0.55	1.63	1.15	1.75	2.80	1.30	6.88	0.35
	2	-3.20	2.65	0.50	1.60	2.30	0.90	4.50	0.18	7.60	0.42
	3	-3.20	1.45	1.40	0.60	3.10	0.10	4.75	0.43	8.15	0.00
	4	-2.70	0.95	1.15	0.15	2.45	0.25	4.10	0.20	8.15	0.00

Notes: This table presents different quantiles for the baseline distributions $F_{Y_{j,t+h}|Z_t}$ (Base) and the quantile and moments differences from the counterfactual distributions $F_{Y_{j,t+h}|Z_t}^*$ to the baseline distributions (Diff) of three monthly financial conditions within each quarter (NFCI1, NFCI2, NFCI3) and real GDP growth from 2008:Q4 (h=0) to 2009:Q4 (h=4).

Table B.2: MIR to NFCI Impulse

Moments		Mean		S	td	Ske	wess	Kurtosis	
	h	Base	Diff	Base	Diff	Base	Diff	Base	Diff
NFCI1	0	1.17	-1.17	0.48	-0.28	1.62	-1.62	5.60	-2.59
	1	0.94	-0.97	1.01	-0.56	1.05	1.82	2.86	14.39
	2	0.53	-0.64	0.97	-0.27	1.40	2.02	4.24	11.00
	3	0.47	-0.51	1.03	-0.16	1.52	1.30	4.44	5.99
	4	0.26	-0.35	0.97	-0.20	1.85	1.12	5.56	6.64
NFCI2	0	1.09	-1.17	0.78	-0.46	0.76	2.73	2.42	19.61
	1	0.75	-0.76	0.97	-0.44	1.08	1.25	2.95	8.62
	2	0.43	-0.60	0.99	-0.36	1.28	1.98	3.51	10.28
	3	0.35	-0.43	0.97	-0.25	1.57	1.17	4.60	5.80
	4	0.17	-0.31	0.93	-0.25	1.99	0.78	6.23	7.04
NFCI3	0	1.05	-1.17	0.98	-0.59	0.87	3.14	2.68	24.43
	1	0.76	-0.70	0.97	-0.28	0.97	0.90	3.21	4.28
	2	0.46	-0.59	1.02	-0.42	1.44	1.94	4.20	11.23
	3	0.29	-0.36	0.94	-0.26	1.69	1.21	5.22	6.89
	4	0.15	-0.28	0.88	-0.26	1.97	0.53	6.32	5.66
GDP	0	1.77	0.24	2.68	-0.49	0.06	0.05	4.33	1.10
	1	1.22	1.52	2.81	-0.03	0.33	-0.25	3.83	-0.56
	2	2.27	1.17	3.17	-0.73	-0.43	0.04	3.48	1.95
	3	2.95	0.39	3.08	-0.27	-0.49	0.14	3.92	-0.21
	4	2.61	0.26	2.99	-0.18	-0.16	0.05	3.76	0.39

Notes: This table presents moments for the baseline distributions (Base) and the moments differences from the counterfactual distributions to the baseline distributions (Diff) of three monthly financial conditions within each quarter (NFCI1, NFCI2, NFCI3) and real GDP growth from 2008:Q4 (h=0) to 2009:Q4 (h=4).

To explore the impulse effect of GDP, we keep the conditional distribution of the three monthly financial conditions Y_{jt} , j = 1, 2, 3 in 2008:Q4 as it is, and the same gamma counterfactual distribution is considered for real GDP growth Y_{4t} . The impulse response results for the entire distribution are presented in Figure B.5. Under this model, more evidence shows that the counterfactual distributions of real GDP growth at one and two quarters ahead exhibit a fatter right tail and somewhat thinner left tail. Still, the final conclusion derived from these results is consistent with those in the Bivariate model.

Figure B.5: Distributional Response to GDP Impulse

Distributions of Y_{t+h} given Z_t for $t{=}2008{:}\mathrm{Q}4$ h = 10.25 0.2 0.6 0.15 0.5 0.5 0.4 0.1 0.2 0.05 0 -10 0 5 GDP 0 2 1st Month NFCI 0 2 2nd Month NFCI 0 2 3rd Month NFCI 10 15 h = 20.15 0.1 0.5 0.5 0.5 0.05 0 -10 0 2 1st Month NFCI 0 2 2nd Month NFCI 0 2 3rd Month NFCI 0 5 GDP 10 15 h = 30.2 0.15 0.5 0.5 0.1 0.5 0.05 0 -10 0 5 GDP 10 15 1st Month NFCI 2nd Month NFCI 3rd Month NFCI h = 40.2 0.15 0.5 0.5 0.1 0.5 0.05 0 -10 0 5 GDP 0 1st Month NFCI
Notes: Refer to Figure B.4. 2nd Month NFCI 3rd Month NFCI

B-10

Table B.3: QIR to GDP Impulse

Quantiles		0.05		0.25		0.5		0.75		0.95	
	h	Base	Diff	Base	Diff	Base	Diff	Base	Diff	Base	Diff
NFCI1	0	0.62	0.00	0.82	0.00	1.03	0.00	1.08	0.00	2.31	0.00
	1	-0.16	-0.02	0.25	0.00	0.52	0.00	1.47	-0.16	2.96	0.00
	2	-0.36	0.01	-0.19	0.01	0.18	0.00	1.03	0.00	2.71	0.00
	3	-0.45	0.00	-0.21	0.05	0.00	0.06	0.82	0.26	3.18	0.00
	4	-0.51	0.02	-0.41	0.11	-0.06	0.04	0.37	0.05	2.71	0.25
NFCI2	0	0.20	0.00	0.45	0.00	0.82	0.00	1.89	0.00	2.46	0.00
	1	-0.30	0.00	0.07	0.00	0.45	0.00	1.08	-0.05	2.71	0.00
	2	-0.46	0.04	-0.36	0.09	0.07	0.00	0.72	0.26	2.46	0.00
	3	-0.50	0.03	-0.22	0.04	-0.02	0.01	0.72	0.00	2.46	0.00
	4	-0.66	0.07	-0.41	0.07	-0.08	0.06	0.18	0.00	2.46	0.00
NFCI3	0	-0.02	0.00	0.42	0.00	0.55	0.00	1.89	0.00	3.18	0.00
	1	-0.41	0.05	-0.02	0.01	0.55	0.00	1.31	-0.23	2.71	0.00
	2	-0.38	0.00	-0.32	0.02	0.00	0.00	0.82	0.21	2.96	0.00
	3	-0.56	0.03	-0.32	0.09	-0.02	0.01	0.52	-0.10	2.46	0.00
	4	-0.67	0.05	-0.36	0.08	-0.06	0.00	0.08	0.09	2.31	0.00
GDP	0	-3.20	4.65	0.50	1.95	1.90	1.45	3.10	1.40	6.48	0.00
	1	-3.60	0.40	-0.55	0.58	1.15	0.25	2.80	0.40	6.88	1.15
	2	-3.20	0.00	0.50	0.73	2.30	0.90	4.50	0.25	7.60	0.42
	3	-3.20	0.00	1.40	0.10	3.10	0.00	4.75	0.00	8.15	0.00
1	4	-2.70	0.00	1.15	0.00	2.45	0.00	4.10	0.00	8.15	0.00

Notes: Refer to Table B.1.

Table B.4: MIR to GDP Impulse

	Mean		S_1	td	Ske	wess	Kurtosis	
h	Base	Diff	Base	Diff	Base	Diff	Base	Diff
0	1.17	0.00	0.48	0.00	1.62	-0.02	5.60	-0.08
1	0.94	-0.02	1.01	0.00	1.05	0.06	2.86	0.03
2	0.53	0.01	0.97	-0.01	1.40	0.02	4.24	0.10
3	0.47	0.00	1.03	-0.03	1.52	0.03	4.44	0.19
4	0.26	0.06	0.97	0.02	1.85	-0.05	5.56	-0.32
0	1.09	0.00	0.78	0.01	0.76	0.01	2.42	0.01
1	0.75	-0.01	0.97	-0.02	1.08	0.07	2.95	0.21
2	0.43	0.07	0.99	0.02	1.28	-0.15	3.51	-0.39
3	0.35	0.01	0.97	-0.02	1.57	0.10	4.60	0.35
4	0.17	0.05	0.93	0.01	1.99	-0.07	6.23	-0.40
0	1.05	0.01	0.98	0.02	0.87	0.01	2.68	-0.01
1	0.76	-0.01	0.97	-0.03	0.97	0.07	3.21	0.26
2	0.46	0.06	1.02	0.03	1.44	-0.13	4.20	-0.48
3	0.29	0.01	0.94	-0.01	1.69	0.17	5.22	0.54
4	0.15	0.04	0.88	-0.02	1.97	-0.11	6.32	-0.55
0	1.77	3.93	2.68	-1.04	0.06	0.91	4.33	-1.06
1	1.22	0.45	2.81	0.34	0.33	-0.05	3.83	-0.75
2	2.27	0.59	3.17	-0.11	-0.43	-0.17	3.48	0.46
3	2.95	0.10	3.08	-0.06	-0.49	-0.03	3.92	0.18
4	2.61	0.01	2.99	-0.02	-0.16	0.00	3.76	0.09
	0 1 2 3 4 0 1 2 3 4 0 1 2 3 4 0 1 2 3 4 0 1 1 2 3 4 0 1 1 2 3 4	h Base 0 1.17 1 0.94 2 0.53 3 0.47 4 0.26 0 1.09 1 0.75 2 0.43 3 0.35 4 0.17 0 1.05 1 0.76 2 0.46 3 0.29 4 0.15 0 1.77 1 1.22 2 2.27 3 2.95 4 2.61	h Base Diff 0 1.17 0.00 1 0.94 -0.02 2 0.53 0.01 3 0.47 0.00 4 0.26 0.06 0 1.09 0.00 1 0.75 -0.01 2 0.43 0.07 3 0.35 0.01 4 0.17 0.05 0 1.05 0.01 1 0.76 -0.01 2 0.46 0.06 3 0.29 0.01 4 0.15 0.04 0 1.77 3.93 1 1.22 0.45 2 2.27 0.59 3 2.95 0.10 4 2.61 0.01	h Base Diff Base 0 1.17 0.00 0.48 1 0.94 -0.02 1.01 2 0.53 0.01 0.97 3 0.47 0.00 1.03 4 0.26 0.06 0.97 0 1.09 0.00 0.78 1 0.75 -0.01 0.97 2 0.43 0.07 0.99 3 0.35 0.01 0.97 4 0.17 0.05 0.93 0 1.05 0.01 0.98 1 0.76 -0.01 0.97 2 0.46 0.06 1.02 3 0.29 0.01 0.94 4 0.15 0.04 0.88 0 1.77 3.93 2.68 1 1.22 0.45 2.81 2 2.27 0.59 3.17 3 2.95 0.1	h Base Diff Base Diff 0 1.17 0.00 0.48 0.00 1 0.94 -0.02 1.01 0.00 2 0.53 0.01 0.97 -0.01 3 0.47 0.00 1.03 -0.03 4 0.26 0.06 0.97 0.02 0 1.09 0.00 0.78 0.01 1 0.75 -0.01 0.97 -0.02 2 0.43 0.07 0.99 0.02 3 0.35 0.01 0.97 -0.02 4 0.17 0.05 0.93 0.01 0 1.05 0.01 0.98 0.02 1 0.76 -0.01 0.97 -0.03 2 0.46 0.06 1.02 0.03 3 0.29 0.01 0.94 -0.01 4 0.15 0.04 0.88 -0.02 <	h Base Diff Base Diff Base 0 1.17 0.00 0.48 0.00 1.62 1 0.94 -0.02 1.01 0.00 1.05 2 0.53 0.01 0.97 -0.01 1.40 3 0.47 0.00 1.03 -0.03 1.52 4 0.26 0.06 0.97 0.02 1.85 0 1.09 0.00 0.78 0.01 0.76 1 0.75 -0.01 0.97 -0.02 1.08 2 0.43 0.07 0.99 0.02 1.28 3 0.35 0.01 0.97 -0.02 1.57 4 0.17 0.05 0.93 0.01 1.99 0 1.05 0.01 0.98 0.02 0.87 1 0.76 -0.01 0.97 -0.03 0.97 2 0.46 0.06 1.02 0.03 </td <td>h Base Diff Base Diff Base Diff 0 1.17 0.00 0.48 0.00 1.62 -0.02 1 0.94 -0.02 1.01 0.00 1.05 0.06 2 0.53 0.01 0.97 -0.01 1.40 0.02 3 0.47 0.00 1.03 -0.03 1.52 0.03 4 0.26 0.06 0.97 0.02 1.85 -0.05 0 1.09 0.00 0.78 0.01 0.76 0.01 1 0.75 -0.01 0.97 -0.02 1.08 0.07 2 0.43 0.07 0.99 0.02 1.28 -0.15 3 0.35 0.01 0.97 -0.02 1.57 0.10 4 0.17 0.05 0.93 0.01 1.99 -0.07 0 1.05 0.01 0.98 0.02 0.87 0.01</td> <td>h Base Diff Base Diff Base Diff Base 0 1.17 0.00 0.48 0.00 1.62 -0.02 5.60 1 0.94 -0.02 1.01 0.00 1.05 0.06 2.86 2 0.53 0.01 0.97 -0.01 1.40 0.02 4.24 3 0.47 0.00 1.03 -0.03 1.52 0.03 4.44 4 0.26 0.06 0.97 0.02 1.85 -0.05 5.56 0 1.09 0.00 0.78 0.01 0.76 0.01 2.42 1 0.75 -0.01 0.97 -0.02 1.08 0.07 2.95 2 0.43 0.07 0.99 0.02 1.28 -0.15 3.51 3 0.35 0.01 0.97 -0.02 1.57 0.10 4.60 4 0.17 0.05 0.93 0.01</td>	h Base Diff Base Diff Base Diff 0 1.17 0.00 0.48 0.00 1.62 -0.02 1 0.94 -0.02 1.01 0.00 1.05 0.06 2 0.53 0.01 0.97 -0.01 1.40 0.02 3 0.47 0.00 1.03 -0.03 1.52 0.03 4 0.26 0.06 0.97 0.02 1.85 -0.05 0 1.09 0.00 0.78 0.01 0.76 0.01 1 0.75 -0.01 0.97 -0.02 1.08 0.07 2 0.43 0.07 0.99 0.02 1.28 -0.15 3 0.35 0.01 0.97 -0.02 1.57 0.10 4 0.17 0.05 0.93 0.01 1.99 -0.07 0 1.05 0.01 0.98 0.02 0.87 0.01	h Base Diff Base Diff Base Diff Base 0 1.17 0.00 0.48 0.00 1.62 -0.02 5.60 1 0.94 -0.02 1.01 0.00 1.05 0.06 2.86 2 0.53 0.01 0.97 -0.01 1.40 0.02 4.24 3 0.47 0.00 1.03 -0.03 1.52 0.03 4.44 4 0.26 0.06 0.97 0.02 1.85 -0.05 5.56 0 1.09 0.00 0.78 0.01 0.76 0.01 2.42 1 0.75 -0.01 0.97 -0.02 1.08 0.07 2.95 2 0.43 0.07 0.99 0.02 1.28 -0.15 3.51 3 0.35 0.01 0.97 -0.02 1.57 0.10 4.60 4 0.17 0.05 0.93 0.01

Notes: Refer to Table B.2.

B.5 Confidence Bands based on Moving Block Bootstrap

Moving block bootstrap is a nonparametric bootstrap procedure that can be applied to dependent time series observations. It consists in drawing blocks of fixed length randomly with replacement from the blocks of consecutive data, which can thus accounts for conditional heteroskedasticity. In this application, setting the length for each block is 8, we use 500 bootstrap replications to construct 95% pointwise confidence intervals of the contempreneous correlation coefficients and DIRFs.

B.5.1 Distribution and Density IRFs

Figure B.6: Confidence Intervals of DIRF for NFCI Impulse (Bivariate Model)




Figure B.7: Confidence Intervals of Density IRF for NFCI Impulse (Bivariate Model)





Figure B.8: Confidence Intervals of DIRFs for NFCI Impulse (Mixed-Frequency Model) (a) Distribution IRFs



(b) Density IRFs




Figure B.9: Confidence Intervals of DIRFs for GDP Impulse (Bivariate Model)
(a) Distribution IRFs






Figure B.10: Confidence Intervals of DIRFs for GDP Impulse (Mixed-Frequency Model)
(a) Distribution IRFs




(b) Density IRFs



B.5.2 Contempreneous Correlation Coefficient

Figure B.11: In-sample Contempreneous Correlation between NFCI and real GDP Growth



Notes: The figure plots the correlation coefficients based on the one-step-ahead forecasting distributions. The vertical shaded areas indicate U.S. recessions, and horizontal shaded area represents the 95% interval.